

## List of functions in package 'rgr' and other package functions they call:

### 1. Statistical graphics functions and required package functions:

```
gx.hist  
    remove.na  
cnnplt  
    remove.na  
gx.cnnppls  
    remove.na  
gx.cnnppls.setup  
gx.ecdf  
    remove.na  
gx.ks.test  
    gx.ecdf, remove.na  
bxplot  
    remove.na  
shape  
    gx.hist, bxplot, gx.ecdf, cnnplt, remove.na  
inset  
    gx.hist, gx.stats, cnnplt, remove.na  
inset.exporter  
    inset  
bwplots  
    cat2list  
bwplots.by.var  
    var2fact, bwplots  
tbplots  
    cat2list  
tbplots.by.var  
    var2fact, tbplots
```

### 2. Mapping s and XY Plotting functions and required package functions:

```
map.eda7  
    cutter, remove.na, eqscplot (Library MASS)  
map.eda8  
    cutter, remove.na, eqscplot (Library MASS)  
map.tags  
    remove.na, eqscplot (Library MASS)  
map.z  
    syms, remove.na, eqscplot (Library MASS)  
caplot  
    cnnplt, eqscplot (Library MASS), interp (Library akima)  
xyplot.eda7  
    cutter, remove.na  
xyplot.eda8  
    cutter, remove.na  
xyplot.tags  
    remove.na  
xyplot.z  
    syms, remove.na
```

### 3. Summary statistics functions and required package functions:

```
gx.stats (display = TRUE)
  remove.na
gx.summary.mat
  gx.summary
gx.summary.groups
  gx.summary
gx.summary1
  gx.summary
gx.summary2
  gx.stats
fences
  remove.na, logit, expit
fences.summary
  fences
framework.summary
  framework.stats
gx.fractile
  remove.na
gx.quantile
  remove.na
```

### 4. Bivariate and Multivariate functions and required package functions:

```
gx.adjr2
gx.lm.vif
gx.2dproj
  remove.na, sammon & isoMDS (Library MASS), fastICA (Library fastICA)
gx.2dproj.plot
gx.md.gait
  remove.na, cov.mcd (Library MASS), gx.md.plt0
gx.md.gait.closed
  remove.na, ilr, cov.mcd (Library MASS), gx.md.plt0
gx.md.plot
  gx.md.plt0
gx.md.print
gx.mva
  remove.na
gx.mvalloc
gx.mvalloc.closed
  clr
gx.mvalloc.print
gx.pairs4parts
  remove.na
gx.pearson
  remove.na, clr
gx.plot2parts
  remove.na, bxplot, gx.ecdf
gx.sm
  remove.na, ilr.stab
gx.spearman
  remove.na, clr
gx.rma
  remove.na
gx.robmva
```

```

        remove.na, cov.mcd (Library MASS), cov.mve (Library MASS)
gx.robmva.closed
        remove.na, ilr, orthonorm, cov.mcd (Library MASS), cov.mve (Library MASS)
gx.rotate
gx.rqpca.screepplot
gx.rqpca.print
gx.rqpca.loadplot
gx.rqpca.plot
gx.vm
        remove.na
wtd.sums
        remove.na

```

## 5. QA/QC support functions and required package functions:

```

ad.plot1
        remove.na
ad.plot2
        ad.plot1
anova1
        remove.na
anova2
        anova1
crm.plot
        remove.na
gx.triples.aov
gx.triples.fgx
        remove.na
thplot1
        remove.na
thplot2
        thplot1

```

## 6. Data conditioning functions:

```

ltdl.fix
ltdl.fix.df
remove.na (iftell = TRUE)
gx.subset
logit
expit
alr
clr
ilr
orthonorm
rng

```

## 7. Utility functions and required package functions :

```

df.test
gx.sort
gx.sort.df
gx.hypergeom
gx.runs
display.lty
display.marks

```

display.ascii.o  
display.rainbow  
where.na  
syms.pfunc  
syms

#### **8. Internally called functions and required package functions :**

remove.na (iftell = FALSE)  
cat2list  
ilr.stab  
remove.na  
var2fact  
cutter  
gx.summary  
gx.stats (display = FALSE)  
framework.stats  
gx.stats (display = FALSE)  
gx.stats (display = FALSE)  
remove.na (iftell = FALSE)  
gx.md.plt0  
gx.add.chisq  
gx.add.chisq  
syms  
orthonorm

Robert G. Garrett  
2012/04/03