

Package ‘micsr’

June 1, 2026

Version 0.1-5

Date 2026-06-01

Title Microeconometrics with R

Depends R (>= 4.1.0)

Imports Formula, Rdpack, sandwich, generics, numDeriv, survival, Rcpp,
CompQuadForm, dfix

Suggests quarto, AER, censReg, sampleSelection, mlogit, MASS, lmtest,
tinytest, ggplot2, modelsummary

LinkingTo Rcpp

Description Functions, data sets and examples for the book: Yves Croissant (2025) ‘Microeconometrics with R’, Chapman and Hall/CRC The R Series <[doi:10.1201/9781003100263](https://doi.org/10.1201/9781003100263)>. The package includes a set of estimators for models used in microeconometrics, especially for count data and limited dependent variables. Test functions include score test, Hausman test, Vuong test, Sargan test and conditional moment test. A small subset of the data set used in the book is also included.

Encoding UTF-8

License GPL (>= 2)

URL <https://www.r-project.org>

VignetteBuilder quarto

NeedsCompilation yes

RoxygenNote 7.3.3

LazyData true

RdMacros Rdpack

Author Yves Croissant [aut, cre] (ORCID:
<<https://orcid.org/0000-0002-4857-7736>>)

Maintainer Yves Croissant <yves.croissant@univ-reunion.fr>

Repository CRAN

Date/Publication 2026-06-01 18:20:09 UTC

Contents

apples	3
binomreg	4
birthwt	5
bivprobit	6
charitable	7
cigmales	7
clm	8
cmtest	9
drinks	12
dummy	13
escout	13
expreg	15
federiv	16
fin_reform	17
ftest	18
gaussian_quad	19
gauss_laguerre	19
gaze	20
hausman	21
housprod	22
ivldv	23
loglm	25
maximize	26
micsr	26
mills	30
mode_choice	31
ndvuong	31
newton	32
npar	33
ordreg	34
pbnorm	35
poisreg	36
pscore	37
ptnorm	39
punorm	40
quad_form	40
random_group	41
recall	42
rsq	43
sargan	43
scoretest	44
select_coef	45
stder	46
tobit1	47
trade_protection	49
trips	50

<i>apples</i>	3
turnout	51
twa	51
unemp_duration	53
vuong_sim	53
weibreg	54
zellner_revankar	55
Index	57

<i>apples</i>	<i>Apple production</i>
---------------	-------------------------

Description

yearly observations of 173 farms from 1984 to 1986

Format

a tibble containing:

- id: farm’s id
- year: year
- capital: capital stock
- labor: quantity of labor
- materials: quantity of materials
- apples: production of apples
- otherprod: other productions
- pc: price of capital
- pl: price of labor
- pm: price of materials

Source

Journal of Applied Econometrics Data Archive : <http://qed.econ.queensu.ca/jae/>

References

Ivaldi M, Ladoux N, Ossard H, Simioni M (1996). “Comparing Fourier and translog specifications of multiproduct technology: Evidence from an incomplete panel of French farmers.” *Journal of Applied Econometrics*, **11**(6), 649–667.

binomreg

*Binomial regression***Description**

A unified interface for binomial regression models, including linear probability, probit and logit models

Usage

```
binomreg(
  formula,
  data,
  weights,
  subset,
  na.action,
  offset,
  contrasts = NULL,
  link = c("identity", "probit", "logit"),
  method = c("ml", "twosteps", "minchisq", "test"),
  start = NULL,
  robust = TRUE,
  opt = c("newton", "nr", "bfgs"),
  maxit = 100,
  trace = 0,
  check_gradient = FALSE,
  ...
)

## S3 method for class 'binomreg'
glance(x, ...)
```

Arguments

formula	a symbolic description of the model
data	a data frame,
subset, weights, na.action, offset, contrasts	see <code>stats::lm</code> ,
link	one of "identity", "probit" and "logit" to fit respectively the linear probability, the probit and the logit model
method	"ml" for maximum likelihood (the only relevant method for a regression without instrumental variables), "twosteps" for two-steps estimator, "minchisq" for minimum chi-squared estimator and "test" to get the exogeneity test,
start	a vector of starting values
robust	only when method = "twosteps", should the robust covariance matrix be computed?

opt	optimization method
maxit	maximum number of iterations
trace	printing of intermediate result
check_gradient	if TRUE the numeric gradient and hessian are computed and compared to the analytical gradient and hessian
...	further arguments
x	a binomreg object

Value

an object of class `c("binomreg", "micsr")`, see `micsr::micsr` for further details

Examples

```
pbt <- binomreg(mode ~ cost + ivtime + ovtime, data = mode_choice, link = 'probit')
lpm <- binomreg(mode ~ cost + ivtime + ovtime, data = mode_choice, link = 'identity')
summary(pbt, vcov = "opg")
```

birthwt	<i>Cigarette smoking and birth weight</i>
---------	---

Description

a cross-section of 1388 individuals from 1988

Format

a tibble containing:

- birthwt: birth weight
- cigarettes: number of cigarettes smoked per day during pregnancy
- parity: birth order
- race: a factor with levels "other" and "white"
- sex: a factor with levels "female" and "male"
- edmother: number of years of education of the mother
- edfather: number of years of education of the father
- faminc: family income
- cigtax: per-pack state excise tax on cigarettes

Source

kindly provided by John Mullahy

References

Mullahy J (1997). "Instrumental-Variable Estimation of Count Data Models: Applications to Models of Cigarette Smoking Behavior." *The Review of Economics and Statistics*, **79**(4), 586-593.

bivprobit

Bivariate probit

Description

Estimation of bivariate probit models by maximum likelihood

Usage

```
bivprobit(
  formula,
  data,
  weights,
  subset,
  na.action,
  offset,
  method = c("newton", "bfgs"),
  ...
)

## S3 method for class 'bivprobit'
logLik(object, ..., type = c("model", "null"))
```

Arguments

formula	a symbolic description of the model, a two-part left and right hand side formula
data	a data frame,
subset, weights, na.action, offset	see <code>stats::lm</code> ,
method	the optimization method, one of "newton" and "bfgs"
...	further arguments
object	a bivprobit object
type	for the logLik method

Value

an object of class `micsr`, see `micsr::micsr` for further details

Examples

```
bivprobit(mjob | fjob ~ meduc + ychild + owner | feduc + ychild + owner , housprod)
```

charitable

Intergenerational transmission of charitable giving

Description

a cross-section of 2384 households from 2001

Format

a tibble containing:

- donation: the amount of charitable giving
- donparents: the amount of charitable giving of the parents
- education: the level of education of household's head, a factor with levels "less_high_school", "high_school", "some_college", "college", "post_college"
- religion: a factor with levels "none", "catholic", "protestant", "jewish" and "other"
- income: income
- married: a dummy for married couples
- south: a dummy for households living in the south

Source

kindly provided by Mark Ottoni Wilhelm.

References

Wilhelm MO (2008). "Practical Considerations for Choosing Between Tobit and SCLS or CLAD Estimators for Censored Regression Models with an Application to Charitable Giving." *Oxford Bulletin of Economics and Statistics*, **70**(4), 559-582.

cigales

Cigarette smoking behaviour

Description

a cross-section of 6160 individuals from 1979 to 1980

Format

a tibble containing:

- cigarettes: number of daily cigarettes smoked
- habit: smoking habit stock measure
- price: state-level average per-pack price of cigarettes in 1979
- restaurant: an indicator of whether the individual's state of residence had restrictions on smoking in restaurants in place in 1979
- income: family income in thousands
- age: age in years
- educ: schooling in years
- famsize: number of family members
- race: a factor with levels "other" and "white"
- reslght: number of years the state's restaurant smoking restrictions had been in place in 1979
- lagprice: one-year lag of cigarette price

Source

kindly provided by John Mullahy

References

Mullahy J (1997). "Instrumental-Variable Estimation of Count Data Models: Applications to Models of Cigarette Smoking Behavior." *The Review of Economics and Statistics*, **79**(4), 586-593.

clm

Constrained least squares

Description

Compute the least squares estimator using linear constraints on the coefficients.

Usage

```
clm(x, R, q = NULL)

## S3 method for class 'cstlm'
vcov(object, ...)

## S3 method for class 'cstlm'
summary(object, ...)
```

Arguments

x	a linear model fitted by lm,
R	a matrix of constrains (one line for each constrain, one column for each coefficient),
q	an optional vector of rhs values (by default a vector of 0)
object	a c1m object for the summary and the vcov methods
...	further arguments

Value

an object of class cst1m which inherits from class lm

Examples

```
# Cobb-Douglas production function for the apple data set
# First compute the total production
apples <- apples |> transform(prod = apples + otherprod)
# unconstrained linear model
cd <- lm(log(prod) ~ log(capital) + log(labor) +
         log(materials), apples)
# constrained linear model imposing constant
# return to scales
crs <- c1m(cd, R = matrix(c(0, 1, 1, 1), nrow = 1),
            q = 1)
```

cmtest

Conditional moments test

Description

Conditional moments tests for maximum likelihood estimators, particularly convenient for the probit and the tobit model to test relevance of functional form, omitted variables, heteroscedasticity and normality.

Usage

```
cmtest(
  x,
  test = c("normality", "reset", "heterosc", "skewness", "kurtosis"),
  powers = 2:3,
  heter_cov = NULL,
  opg = FALSE
)

## S3 method for class 'tobit'
cmtest(
  x,
```

```

    test = c("normality", "reset", "heterosc", "skewness", "kurtosis"),
    powers = 2:3,
    heter_cov = NULL,
    opg = FALSE
)

## S3 method for class 'micsr'
cmtest(
  x,
  test = c("normality", "reset", "heterosc", "skewness", "kurtosis"),
  powers = 2:3,
  heter_cov = NULL,
  opg = FALSE
)

## S3 method for class 'censReg'
cmtest(
  x,
  test = c("normality", "reset", "heterosc", "skewness", "kurtosis"),
  powers = 2:3,
  heter_cov = NULL,
  opg = FALSE
)

## S3 method for class 'glm'
cmtest(
  x,
  test = c("normality", "reset", "heterosc", "skewness", "kurtosis"),
  powers = 2:3,
  heter_cov = NULL,
  opg = FALSE
)

## S3 method for class 'weibreg'
cmtest(
  x,
  test = c("normality", "reset", "heterosc", "skewness", "kurtosis"),
  powers = 2:3,
  heter_cov = NULL,
  opg = FALSE
)

```

Arguments

x	a fitted model, currently a tobit model either fitted by <code>AER::tobit</code> , <code>censReg::censReg</code> or <code>micsr::tobit1</code> or a probit model fitted by <code>glm</code> with <code>family = binomial(link = "probit")</code> or by <code>micsr::binomreg</code> with <code>link = "probit"</code>
test	the kind of test to be performed, either a normality test (or separately a test that

	the skewness or kurtosis are 0 and 3), a heteroscedasticity test or a reset test,
powers	the powers of the fitted values that should be used in the reset test,
heter_cov	a one side formula that indicates the covariates that should be used for the heteroscedasticity test (by default all the covariates used in the regression are used),
opg	a boolean, if FALSE (the default), the analytic derivatives are used, otherwise the outer product of the gradient formula is used

Value

an object of class "htest" containing the following components:

- data.man: a character string describing the fitted model
- statistic: the value of the test statistic
- parameter: degrees of freedom
- p.value: the p.value of the test
- method: a character indicating what type of test is performed

Author(s)

Yves Croissant

References

- Newey WK (1985). "Maximum Likelihood Specification Testing and Conditional Moment Tests." *Econometrica*, **53**(5), 1047–1070.
- Pagan A, Vella F (1989). "Diagnostic Tests for Models Based on Individual Data: A Survey." *Journal of Applied Econometrics*, **4**, S29–S59.
- Tauchen G (1985). "Diagnostic testing and evaluation of maximum likelihood models." *Journal of Econometrics*, **30**(1), 415–443.
- Wells C (2003). "Retesting Fair's (1978) Model on Infidelity." *Journal of Applied Econometrics*, **18**(2), 237–239.

Examples

```
charitable$logdon <- with(charitable, log(donation) - log(25))
ml <- tobit1(logdon ~ log(donparents) + log(income) + education +
            religion + married + south, data = charitable)
cmtest(ml, test = "heterosc")
cmtest(ml, test = "normality", opg = TRUE)
```

drinks

Physician advice on alcohol consumption

Description

a cross-section of 2467 individuals from 1990

Format

a tibble containing:

- drinks: number of drinks in the past 2 weeks
- advice: 1 if received a drining advice
- age: age in 10 years cathegories
- race: a factor with levels "white", "black" and "other"
- marital: marital status, one of "single", "married", "widow", "separated"
- region: one of "west", "northeast", "midwest" and "south"
- empstatus: one of "other", "emp" and "unemp"
- limits: limits on daily activities, one of "none", "some" and "major"
- income: monthly income (\$1000)
- educ: education in years
- medicare: insurance through medicare
- medicaid: insurance through medicaid
- champus: military insurance
- hlthins: health insurance
- regmed: regoular source of care
- dri: see same doctor
- diabete: have diabetes
- hearthcond: have heart condition
- stroke: have stroke

Source

JAE data archive

References

Kenkel DS, Terza JV (2001). "The effect of physician advice on alcohol consumption: count regression with an endogenous treatment effect." *Journal of Applied Econometrics*, **16**(2), 165-184.

dummy	<i>Transform a factor in a set of dummy variables</i>
-------	---

Description

The normal way to store categorical variables in R is to use factors, each modality being a level of this factor. Sometimes however, it is more convenient to use a set of dummy variables.

Usage

```
dummy(x, ..., keep = FALSE, prefix = NULL, ref = FALSE)
```

Arguments

x	a data frame
...	series of the data frame, should be factors
keep	a boolean, if TRUE, the original series is kept in the data frame,
prefix	an optional prefix for the names of the computed dummies,
ref	a boolean, if TRUE, a dummy is created for all the levels, including the reference level

Value

a data frame

Examples

```
charitable |> dummy(religion, education)
```

escout	<i>Endogenous switching and sample selection models for count data</i>
--------	--

Description

Heckman's like estimator for count data, using either maximum likelihood or a two-step estimator

Usage

```
escount(
  formula,
  data,
  subset,
  weights,
  na.action,
  offset,
  start = NULL,
  R = 16,
  hessian = FALSE,
  method = c("twostep", "ml"),
  model = c("es", "ss")
)
```

Arguments

formula	a Formula object which includes two responses (the count and the binomial variables) and two sets of covariates (for the count component and for the selection equation)
data	a data frame,
subset, weights, na.action, offset	see <code>stats::lm</code>
start	an optional vector of starting values,
R	the number of points for the Gauss-Hermite quadrature
hessian	if TRUE, the numerical hessian is computed, otherwise the covariance matrix of the coefficients is computed using the outer product of the gradient
method	one of 'ML' for maximum likelihood estimation (the default) or 'twostep' for the two-step NLS method
model	one of 'es' for endogenous switching (the default) or 'ss' for sample selection

Value

an object of class `c("escount", "micsr")`, see `micsr::micsr` for further details.

Author(s)

Yves Croissant

References

Terza JV (1998). "Estimating count data models with endogenous switching: Sample selection and endogenous treatment effects." *Journal of Econometrics*, **84**(1), 129-154.

Greene WH (2001). "Fiml Estimation of Sample Selection Models for Count Data." In Negishi T, Ramachandran RV, Mino K (eds.), *Economic Theory, Dynamics and Markets: Essays in Honor of Ryuzo Sato*, chapter 6, 73-91. Springer US, Boston, MA.

Examples

```
trips_2s <- escount(trips + car ~ workschl + size + dist + smsa + fulltime + distnod +
  realinc + weekend + car | . - car - weekend + adults, data = trips, method = "twostep")
trips_ml <- update(trips_2s, method = "ml")
```

expreg	<i>Instrumental variable estimation for exponential conditional mean models</i>
--------	---

Description

Exponential conditional mean models are particularly useful for non-negative responses (including count data). Least squares and one or two steps IV estimators are available

Usage

```
expreg(
  formula,
  data,
  subset,
  weights,
  na.action,
  offset,
  method = c("iv", "gmm", "ls"),
  error = c("mult", "add"),
  ...
)
```

Arguments

formula	a two-part right hand side formula, the first part describing the covariates and the second part the instruments
data	a data frame,
subset, weights, na.action, offset	see stats::lm
method	one of "gmm" (the default), "iv" or ls.
error	one of "mult" (the default) or "add" in order to get a model with respectively a multiplicative or an additive error
...	further arguments

Value

an object of class "micsr", see micsr::micsr for further details.

Author(s)

Yves Croissant

References

Mullahy J (1997). “Instrumental-Variable Estimation of Count Data Models: Applications to Models of Cigarette Smoking Behavior.” *The Review of Economics and Statistics*, **79**(4), 586-593.

Examples

```
cigmales <- cigmales |>
  transform(age2 = age ^ 2, educ2 = educ ^ 2, educage = educ * age,
            age3 = age ^ 3, educ3 = educ ^ 3)
expreg(cigarettes ~ habit + price + restaurant + income + age + age2 + educ + educ2 +
        famsize + race | . - habit + reslgth + lagprice + age3 + educ3 + educage,
        data = cigmales)
expreg(birthwt ~ cigarettes + parity + race + sex | parity + race + sex +
        edmother + edfather + faminc + cigtax, data = birthwt)
```

federiv

Foreign exchange derivatives use by large US bank holding companies

Description

a cross-section of 794 banks from 1996 to 2000

Format

a tibble containing:

- federiv: foreign exchange derivatives use, a dummy
- optval: option awards
- eqrat: leverage
- bonus: bonus
- ltass: logarithm of total assets
- linsown: logarithm of the percentage of the total shares outstanding that are owned by officers and directors
- linstown: logarithm of the percentage of the total shares outstanding that are owned by all institutional investors
- roe: return on equity
- mktbk: market to book ratio
- perfor: foreign to total interest income ratio
- dealdum: derivative dealer activity dummy
- div: dividends paid
- year: year, from 1996 to 2000
- no_emp: number of employees
- no_subs: number of subsidiaries

- no_off: number of offices
- ceo_age: CEO age
- gap: 12 month maturity mismatch
- cfa: ratio of cash flow to total assets

Source

Lee Adkin's home page <https://learneconometrics.com/>

References

Adkins LC (2012). "Testing parameter significance in instrumental variables probit estimators: some simulation." *Journal of Statistical Computation and Simulation*, **82**(10), 1415-1436.

Adkins LC, Carter DA, Simpson WG (2007). "Managerial Incentives And The Use Of Foreign-Exchange Derivatives By Banks." *Journal of Financial Research*, **30**(3), 399-413.

fin_reform

Political economy of financial reforms

Description

a pseudo-panel of 35 countries from 1973 to 1996

Format

a tibble containing:

- country: the country id
- year: the year
- region: the region
- pol: political orientation of the government
- fli: degree of policy liberalization index (from 0 to 18)
- yofc: year of office
- gdpg: growth rate of the gdp
- infl: inflation rate
- bop: balance of payments crises
- bank: banking crises
- imf: IMF program dummy
- usint: international interest rates
- open: trade openness
- dindx: difference of the inflation rate
- indx: inflation rate divided by 18

- indxl: lag value of indx
- rhs1: indxl * (1 - indxl)
- max_indxl: maximum value of indxl by year and region
- catchup: difference between max_indxl and indxl
- dum_bop: balance of paiement crisis in the first two previous years
- dum_bank: bank crises in the first two previous years
- dum_1yofc: dummy for first year of office
- recession: dummy for recessions
- hinfl: dummy for inflation rate greater than 50 percent

Source

AEA website

References

Abiad A, Mody A (2005). "Financial Reform: What Shakes It? What Shapes It?" *American Economic Review*, **95**(1), 66-88.

ftest	<i>F statistic</i>
-------	--------------------

Description

Extract the F statistic that all the parameters except the intercept are zero. Currently implemented only for models fitted by `lm` or `ivreg::ivreg`.

Usage

```
ftest(x, ...)

## S3 method for class 'lm'
ftest(x, ...)

## S3 method for class 'ivreg'
ftest(x, ..., covariate = NULL)
```

Arguments

<code>x</code>	a fitted object
<code>...</code>	further arguments
<code>covariate</code>	the covariate for which the test should be performed for the <code>ivreg</code> method

Value

an object of class "htest".

gaussian_quad	<i>Gauss-Hermitte quadrature</i>
---------------	----------------------------------

Description

Computes the node and the weights for the Gauss-Hermitte quadrature (integral on the whole real line)

Usage

gauss_hermite(N)

Arguments

N the number of evaluations

Value

a list containing two numeric vectors of length N, the first one containing the nodes and the second one the weights

gauss_laguerre	<i>Gauss-Laguerre quadrature</i>
----------------	----------------------------------

Description

Computes the node and the weights for the Gauss-Laguerre quadrature (integral on the whole real line)

Usage

gauss_laguerre(N)

Arguments

N the number of evaluations

Value

a list containing two numeric vectors of length N, the first one containing the nodes and the second one the weights

`gaze`*Short print of the summary of an object*

Description

`print` and `print.summary` methods often returns long input, which is suitable for the console, but too verbal for a printed output like a book or an article written using `quarto`. `gaze` is a generic function which prints a short output

Usage

```
gaze(x, ...)  
  
## S3 method for class 'lm'  
gaze(  
  x,  
  ...,  
  digits = max(3L, getOption("digits") - 3L),  
  signif.stars = FALSE,  
  coef = NULL  
)  
  
## S3 method for class 'micr'  
gaze(x, ..., digits = max(3L, getOption("digits") - 3L), signif.stars = FALSE)  
  
## S3 method for class 'ivreg'  
gaze(  
  x,  
  ...,  
  coef = NULL,  
  digits = max(3L, getOption("digits") - 3L),  
  signif.stars = FALSE  
)  
  
## S3 method for class 'mlogit'  
gaze(  
  x,  
  ...,  
  coef = NULL,  
  digits = max(3L, getOption("digits") - 3L),  
  signif.stars = FALSE  
)  
  
## S3 method for class 'rdrobust'  
gaze(x, ..., first_stage = FALSE)  
  
## S3 method for class 'CJMrdensity'
```

```

gaze(x, ...)

## S3 method for class 'htest'
gaze(x, ..., digits = 3)

## S3 method for class 'anova'
gaze(x, ..., digits = 3)

## S3 method for class 'LMtestlist'
gaze(x, ..., digits = 3)

## S3 method for class 'RStestlist'
gaze(x, ..., digits = 3)

```

Arguments

x	an object,
...	further arguments for the different methods,
digits	the number of digits for the lm and the ivreg methods
signif.stars	a boolean indicating whether the stars should be printed
coef	the coefficients to be printed
first_stage	a boolean for the rdrobust::rdrobust method, if TRUE the results of the first stage estimation are printed

Value

returns invisibly its first argument

Examples

```

t.test(extra ~ group, sleep) |> gaze()
lm(dist ~ poly(speed, 2), cars) |> gaze()
lm(dist ~ poly(speed, 2), cars) |> gaze(coef = "poly(speed, 2)2")

```

hausman

Hausman test

Description

Hausman test; under the null both models are consistent but one of them is more efficient, under the alternative, only one model is consistent

Usage

```
hausman(x, y, omit = FALSE, ...)  
  
## S3 method for class 'ivreg'  
hausman(x, y, omit = FALSE, ...)  
  
## S3 method for class 'micsr'  
hausman(x, y, omit = NULL, ...)
```

Arguments

x	the first model,
y	the second model
omit	a character containing the effects that are removed from the test
...	further arguments

Value

an object of class "htest".

Author(s)

Yves Croissant

References

Hausman JA (1978). "Specification Tests in Econometrics." *Econometrica*, **46**(6), 1251–1271.

housprod

Household Production

Description

a cross-section of 819 households from 1984

Format

a tibble containing:

- mjob: dummy, 1 if male has paid job
- fjob: dummy, 1 if female has paid job
- mtime: home production time male (minutes per day)
- ftime: home production time female (minutes per day)
- mwage: net hourly wage rate male (estimate imputed if mjob=0)
- fwage: net hourly wage rate female (estimate imputed if fjob=0)

- mage: age male
- meduc: years of schooling male
- fage: age female
- feduc: years of schooling female
- owner: dummy, 1 if houseowners
- fsize: family size
- ychild: number of children younger than 7 years old in the household
- cars: number of cars in the household
- nonlabinc: non-labour income (in units of 1000 Swedish Kronor)

Source

JAE data archive

References

Kerkhofs M, Kooreman P (2003). "Identification and Estimation of a Class of Household Production Models." *Journal of Applied Econometrics*, **18**(3), 337–369.

ivldv

Instrumental variable estimators for limited dependent variable

Description

Estimation of simultaneous-equation models when the response is binomial or censored

Usage

```
ivldv(
  formula,
  data,
  subset = NULL,
  weights = NULL,
  na.action,
  offset,
  method = c("twosteps", "minchisq", "ml", "test"),
  model = c("probit", "tobit"),
  robust = TRUE,
  left = 0,
  right = Inf,
  trace = 0,
  ...
)

endogtest(x, ...)
```

```
## S3 method for class 'formula'
endogtest(x, ..., data, model = c("probit", "tobit"))

## S3 method for class 'ivldv'
endogtest(x, ...)
```

Arguments

formula	a symbolic description of the model,
data	a data frame,
subset, weights, na.action, offset	see <code>lm</code> ,
method	one of "ml" for maximum likelihood, "twosteps" and "minchisq"
model	one of "probit" or "tobit",
robust	a boolean, if TRUE, a consistent estimation of the covariance of the coefficients is used for the 2-steps method,
left, right	left and right limits of the dependent variable. The default is respectively 0 and +Inf which corresponds to the most classic (left-zero truncated) tobit model,
trace	a boolean (the default if FALSE) if TRUE some information about the optimization process is printed,
...	further arguments
x	on object returned by <code>ivldv</code>

Value

An object of class `c('ivldv', 'lm')`

Author(s)

Yves Croissant

References

Smith R, Blundell R (1986). "An Exogeneity Test for a Simultaneous Equation Tobit Model with an Application to Labor Supply." *Econometrica*, **54**(3), 679-85.

Rivers D, Vuong QH (1988). "Limited information estimators and exogeneity tests for simultaneous probit models." *Journal of Econometrics*, **39**(3), 347-366.

Examples

```
inst <- ~ sic3 + k_serv + inv + engsci + whitecol + skill + semskill + cropland +
  pasture + forest + coal + petro + minerals + scrconc + bcrconc + scrcomp +
  bcrcomp + meps + kstock + puni + geog2 + tenure + klratio + bunion
trade_protection <- transform(trade_protection,
  y = ntb / (1 + ntb),
  x1 = vshipped / imports / elast)
```

```

trade_protection <- transform(trade_protection,
                             x2 = cap * x1,
                             x3 = labvar)
GH <- ivldv(Formula::as.Formula(y ~ x1 + x2, inst), trade_protection,
            method = "twosteps", model = "tobit")
Full <- ivldv(Formula::as.Formula(y ~ x1 + x2 + labvar, inst), trade_protection,
              method = "twosteps", model = "tobit")
Short <- ivldv(Formula::as.Formula(y ~ x1 + I(x2 + labvar), inst),
               trade_protection, method = "twosteps", model = "tobit")
bank_msq <- ivldv(federiv ~ eqrat + optval + bonus + ltass + linsown + linstown +
                  roe + mktbk + perfor + dealdum + div + year | . - eqrat - bonus -
                  optval + no_emp + no_subs + no_off + ceo_age + gap + cfa,
                  data = federiv, method = "minchisq")
bank_ml <- update(bank_msq, method = "ml")
bank_2st <- update(bank_msq, method = "twosteps")

```

loglm

Log-linear model

Description

Estimation of log-linear model; the estimation is done by `lm`, but the correct log-likelihood related quantities are returned

Usage

```
loglm(formula, data)
```

Arguments

formula, data see `lm`

Value

An object of class "micsr", see `micsr::micsr` for further details.

Author(s)

Yves Croissant

Examples

```

lm_model <- lm(log(dist) ~ log(speed), cars)
log_model <- loglm(dist ~ log(speed), cars)
coef(lm_model)
coef(log_model)
# same coefficients, supplementary sigma coefficient for `loglm`
logLik(lm_model)
logLik(log_model)
# log_model returns the correct value for the log-likelihood

```

maximize	<i>Maximization of a function</i>
----------	-----------------------------------

Description

This function provides a unified interface to three optimization algorithms: the BFGS algorithm provided by `stats::optim`, the Newton-Raphson algorithm provided by `stats::nlm` and a simple Newton-Raphson algorithm provided by `micsr::newton`

Usage

```
maximize(
  x,
  start,
  method = c("bfgs", "nr", "newton"),
  trace = 0,
  maxit = 100,
  ...
)
```

Arguments

<code>x</code>	the function to maximize
<code>start</code>	a vector of starting values
<code>method</code>	the optimization method
<code>trace</code>	if positive or true, some information about the computation is printed
<code>maxit</code>	maximum number of iterations
<code>...</code>	further arguments, passed to the function

Value

a numeric vector, the parameters at the optimum of the function.

micsr	<i>micsr class</i>
-------	--------------------

Description

The `micsr` class is intend to deal with a lot of different models that are estimated in the `micsr` package. More specifically, some models may be estimated using different estimation methods, like maximum likelihood, GMM or two-steps estimators. Objects of class `micsr` have an `est_method` item which is used by the different methods in order to have a relevent behaviour for the different methods.

Usage

```
llobs(x, ...)  
  
## S3 method for class 'micsr'  
coef(  
  object,  
  ...,  
  subset = NA,  
  fixed = FALSE,  
  grep = NULL,  
  invert = FALSE,  
  coef = NULL  
)  
  
## S3 method for class 'micsr'  
vcov(  
  object,  
  ...,  
  vcov = NULL,  
  subset = NA,  
  fixed = FALSE,  
  grep = NULL,  
  invert = FALSE,  
  coef = NULL  
)  
  
## S3 method for class 'micsr'  
summary(  
  object,  
  ...,  
  vcov = c("hessian", "info", "opg", "hc"),  
  subset = NA,  
  fixed = FALSE,  
  grep = NULL,  
  invert = FALSE,  
  coef = NULL  
)  
  
## S3 method for class 'summary.micsr'  
coef(object, ...)  
  
## S3 method for class 'micsr'  
print(x, digits = max(3L, getOption("digits") - 3L), ...)  
  
## S3 method for class 'summary.micsr'  
print(  
  x,  
  digits = max(3, getOption("digits") - 2),
```

```
    width = getOption("width"),
    ...
)

## S3 method for class 'micsr'
logLik(object, ..., type = c("model", "null", "saturated"), sum = TRUE)

## S3 method for class 'micsr'
BIC(object, ..., type = c("model", "null"))

## S3 method for class 'micsr'
AIC(object, ..., k = 2, type = c("model", "null"))

## S3 method for class 'micsr'
deviance(object, ..., type = c("model", "null"))

## S3 method for class 'micsr'
model.part(object, ..., lhs = 1)

## S3 method for class 'micsr'
model.matrix(object, formula = NULL, ..., rhs = 1)

## S3 method for class 'micsr'
estfun(x, ...)

## S3 method for class 'micsr'
vcovHC(x, type, omega = NULL, sandwich = TRUE, ...)

## S3 method for class 'micsr'
bread(x, ...)

## S3 method for class 'micsr'
nobs(object, ...)

## S3 method for class 'micsr'
llobs(x, ...)

## S3 method for class 'mlogit'
llobs(x, ...)

## S3 method for class 'micsr'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)

## S3 method for class 'micsr'
glance(x, ...)

## S3 method for class 'micsr'
residuals(object, ..., type = c("deviance", "pearson", "response"))
```

```
## S3 method for class 'micsr'
predict(object, ..., se = TRUE, newdata = NULL, shape = c("long", "wide"))

## S3 method for class 'micsr'
effects(object, ..., newdata = NULL, covariates = NULL, se = TRUE)

## S3 method for class 'effects'
summary(object, ...)

## S3 method for class 'predict'
summary(object, ...)

## S3 method for class 'micsr'
mean(x, ...)
```

Arguments

x, object	an object which inherits the micsr class
...	further arguments
subset, grep, fixed, invert, coef	invert see <code>'micsr::select_coef'</code>
vcov	the method used to compute the covariance matrix of the estimators (only for the ML estimator), one of <code>hessian</code> (the opposite of the inverse of the hessian), <code>info</code> (the inverse of the opposite of the expected value of the hessian), <code>opg</code> (the outer product of the gradient)
digits, width	see <code>print</code>
type, omega, sandwich	see <code>sandwich::sandwich</code>
sum	return either the sum of the contributions or the vector of contribution
k	see AIC
lhs, rhs	see <code>Formula::model.frame.Formula</code>
formula	a formula
conf.int, conf.level	see <code>broom::tidy.lm</code>
se	whether the standard errors could be computed for predictions and slopes
newdata	a new data frame to compute the predictions #' @param se a boolean indicating whether the standard errors should be computed
shape	the shape of the predictions for <code>mlogit</code> objects
covariates	a set of covariates for the effects method,

Value

Objects of class `micsr` share a lot of common elements with `lm`: `coefficients`, `residuals`, `fitted.values`, `model`, `terms`, `df.residual`, `xlevels`, `na.action`, and `call`. `npar` is a named

vector containing the index of subset of coefficients, it is used to print a subset of the results. It also has a `est_method` element and, depending of its value, contains further elements. In particular, for model fitted by maximum likelihood, `value` contains the individual contribution to the log-likelihood function, `gradient` the individual contribution to the gradient, `hessian` the hessian and `information` the information matrix. `logLik` contains the log-likelihood values of the proposed, null and saturated models. `tests` contains the values of the test that all the coefficients of the covariates are 0, using the three classical tests.

The `llob` function is provided as a generic to extract the individual contributions to the log-likelihood

Specific methods have been written for `micsr` objects: `nobs`, `generics::tidy`, `generics::glance`, `sandwich::meat`, `sandwich::estfun`, `predict`, `model.matrix`, `Formula::model.part`.

`logLik`, `BIC`, `AIC` and `deviance` methods have a `type` argument to select the proposed, null or saturated model.

`vcov` and `summary` methods have a `vcov` argument to select the estimator of the covariance matrix, which can be either based on the hessian, the gradient or the information.

`vcov`, `summary` and `coef` have a `subset` argument to select only a subset of the coefficients

 mills

Compute the inverse Mills ratio and its first two derivatives

Description

The inverse Mills ratio is used in several econometric models, especially different flavours of tobit model.

Usage

```
mills(x, deriv = 0)
```

Arguments

<code>x</code>	a numeric
<code>deriv</code>	one of 0 (the default, returns the inverse Mills ratio), 1 (the first derivative) and 2 (the second derivative)

Value

a numeric.

mode_choice	<i>Choice between car and transit</i>
-------------	---------------------------------------

Description

a cross-section of 842 individuals

Format

a tibble containing:

- mode: 1 for car, 0 for transit
- cost: transit fare minus automobile travel cost in US\$
- ivtime: transit in-vehicule travel time minus in-vehicule travel time (minutes)
- ovtime: transit out-of vehicule time minus out-of vehicule travel time (minutes)
- cars: number of cars owned by the traveler's household

Source

GAMS's website https://www.gams.com/latest/gamslib_ml/libhtml/gamslib_mws.html

References

Horowitz JL (1993). "Semiparametric estimation of a work-trip mode choice model." *Journal of econometrics*, **58**(1-2), 49-70.

ndvuong	<i>Non-degenerate Vuong test</i>
---------	----------------------------------

Description

An unhanched version of the Vuong test with a small-sample bias correction

Usage

```
ndvuong(  
  x,  
  y,  
  size = 0.05,  
  pval = TRUE,  
  nested = FALSE,  
  vartest = FALSE,  
  ndraws = 10000,  
  diffnorm = 0.1,  
  seed = 1,  
)
```

```

    numbers = NULL,
    nd = TRUE,
    print.level = 0
  )

```

Arguments

x	a first fitted model
y	a second fitted model
size	the size of the test
pval	should the p-value be computed ?
nested	a boolean, TRUE for nested models
varctest	a boolean, if TRUE, the variance test is computed
ndraws	the number of draws for the simulations
diffnorm	a creuser
seed	the seed
numbers	a user provided matrix of random numbers
nd	a boolean, if TRUE (the default) the non-degenerate Vuong test is computed
print.level	the level of details to be printed

Value

an object of class "htest".

References

Vuong QH (1989). "Likelihood Ratio Tests for Selection and Non-Nested Hypotheses." *Econometrica*, **57**(2), 397-333.

Shi X (2015). "A nondegenerate Vuong test." *Quantitative Economics*, 85-121.

See Also

the classical Vuong test is implemented in `pscl::vuong` and `nonnest2::vuongtest`.

newton

Newton-Raphson method for numerical optimization

Description

The Newton-Raphson method use the gradient and the hessian of a function. For well behaved functions, it is extremely accurate.

Usage

```
newton(
  fun,
  coefs,
  trace = 0,
  direction = c("min", "max"),
  tol = sqrt(.Machine$double.eps),
  maxit = 500,
  ...
)
```

Arguments

fun	the function to optimize
coefs	a vector of starting values
trace	if positive or true, some information about the computation is printed
direction	either "min" or "max"
tol	the tolerance
maxit	maximum number of iterations
...	further arguments, passed to fun

Value

a numeric vector, the parameters at the optimum of the function.

npar	<i>Number of parameters of a fitted model</i>
------	---

Description

The number of observation of a fitted model is typically obtained using the nobs method. There is no such generics to extract the same information about the number of parameters. npar is such a generic and has a special method for micr objects with a subset argument that enables to compute the number of parameters for a subset of coefficients. The default method returns the length of the vector of coefficients extracted using the coef function.

Usage

```
npar(x, subset = NULL)

## Default S3 method:
npar(x, subset = NULL)

## S3 method for class 'micr'
npar(x, subset = NULL)
```

Arguments

x a fitted model
 subset a character indicating the subset of coefficients (only relevant for `micr` models).

Value

an integer.

Author(s)

Yves Croissant

ordreg *Ordered regression*

Description

Maximum-likelihood estimation of a model for which the response is ordinal

Usage

```
ordreg(
  formula,
  data,
  weights,
  subset,
  na.action,
  offset,
  contrasts = NULL,
  link = c("probit", "logit", "cloglog"),
  start = NULL,
  opt = c("bfgs", "nr", "newton"),
  maxit = 100,
  trace = 0,
  check_gradient = FALSE,
  ...
)

## S3 method for class 'ordreg'
fitted(object, ..., type = c("outcome", "probabilities"))
```

Arguments

formula a symbolic description of the model
 data a data frame
 subset, weights, na.action, offset, contrasts
 see `lm`

link	one of probit and logit
start	a vector of starting values,
opt	optimization method
maxit	maximum number of iterations
trace	printing of intermediate result
check_gradient	if TRUE the numeric gradient and hessian are computed and compared to the analytical gradient and hessian
...	further arguments
object	a ordreg object
type	one of "outcome" or "probabilities" for the fitted method

Value

an object of class `micsr`, see `micsr::micsr` for further details.

Examples

```
mod1 <- ordreg(factor(dindx) ~ rhs1 + catchup, fin_reform, link = "logit")
library(survival)
ud <- transform(unemp_duration, years = floor(duration / 365))
ud <- transform(ud, years = ifelse(years == 6, 5, years))
mod2 <- ordreg(Surv(years, censored == "no") ~ gender + age + log(1 + wage), ud,
               link = "cloglog", opt = "bfgs")
```

pbnorm

Compute the probability for the bivariate normal function

Description

Compute the probability for the bivariate normal function

Usage

```
pbnorm(z1, z2, rho)
```

Arguments

z1, z2	two numeric vectors
rho	a numeric vector

Value

a numeric vector

poisreg *Poisson regression*

Description

A unified interface to perform Poisson, Negbin and log-normal Poisson models

Usage

```
poisreg(
  formula,
  data,
  weights,
  subset,
  na.action,
  offset,
  contrasts = NULL,
  start = NULL,
  mixing = c("none", "gamma", "lognorm"),
  vlink = c("nb1", "nb2"),
  opt = c("bfgs", "nr", "newton"),
  maxit = 100,
  trace = 0,
  check_gradient = FALSE,
  ...
)

## S3 method for class 'poisreg'
scoretest(object, ..., vcov = NULL)

## S3 method for class 'poisreg'
residuals(object, ..., type = c("deviance", "pearson", "response"))
```

Arguments

formula	a symbolic description of the model, (for the count component and for the selection equation)
data	a data frame
subset, weights, na.action, offset, contrasts	see stats::lm,
start	a vector of starting values
mixing	the mixing distribution, one of "none", "gamma" and "lognorm"
vlink	one of "nb1" and "nb2"
opt	optimization method
maxit	maximum number of iterations

trace	printing of intermediate result
check_gradient	if TRUE the numeric gradient and hessian are computed and compared to the analytical gradient and hessian
...	further arguments
object	a poisreg object
vcov	the covariance matrix estimator to use for the score test
type	the type of residuals for the residuals method

Value

an object of class `c("poisreg", "micsr")`, see `micsr::micsr` for further details.

Examples

```
nb1 <- poisreg(trips ~ workschl + size + dist + smsa + fulltime + distnod +
              realinc + weekend + car, trips, mixing = "gamma", vlink = "nb1")
```

pscore	<i>Propensity scores</i>
--------	--------------------------

Description

Propensity scores estimation, using an algorithm that checks the balancing hypothesis using strata and enable the estimation of the treatment effect using stratification methods

Usage

```
pscore(formula, data, maxiter = 4, tol = 0.005, link = c("logit", "probit"))

## S3 method for class 'pscore'
summary(object, ...)

## S3 method for class 'pscore'
print(
  x,
  ...,
  digits = getOption("digits"),
  var_equal = c("none", "strata", "group", "both")
)

## S3 method for class 'summary.pscore'
print(
  x,
  ...,
  digits = getOption("digits"),
  step = c("all", "strata", "covariates", "atet")
)
```

```

)

## S3 method for class 'pscore'
nobs(object, ..., smpl = c("total", "cs"))

## S3 method for class 'summary.pscore'
nobs(object, ..., smpl = c("total", "cs"))

rg(object, ...)

## S3 method for class 'pscore'
rg(object, ..., smpl = c("total", "cs"))

## S3 method for class 'summary.pscore'
rg(object, ..., smpl = c("total", "cs"))

stdev(object, ...)

## S3 method for class 'pscore'
mean(x, ..., var_equal = c("none", "strat", "group", "both"))

## S3 method for class 'summary.pscore'
mean(x, ...)

## S3 method for class 'pscore'
stdev(object, ..., var_equal = c("none", "strata", "group", "both"))

## S3 method for class 'summary.pscore'
stdev(object, ..., var_equal = c("none", "strata", "group", "both"))

```

Arguments

formula	a Formula object; the left-hand side should contain two variables ($x_1 + x_2$), where x_1 is the group variable and x_2 the outcome. The group variable can be either a dummy for treated individuals or a factor with levels "treated" and "control"
data	a data frame
maxiter	the maximum number of iterations
tol	stratas are cut in halves as long as the hypothesis of equal means is rejected at the tol level,
link	the link for the binomial glm estimation, either "logit" or "probit"
...	further arguments
x, object	a "pscore" or a "summary.pscore" object
digits	number of digits for the print methods
var_equal	to compute the variance of the ATET, variances can be computed at the class/group level (var_equal = "none"), at the class level (var_equal = "group"), at the group level (var_equal = "strata") or globally (var_equal = "both")

step	for the <code>print.summary</code> method, the step of the test to be printed: one of "all" (the default), <code>strata</code> , <code>covariates</code> and <code>atet</code>
smp1	the sample to use, either the whole sample (<code>smp1 = "total"</code>) or the sample with common support (<code>smp1 = "cs"</code>)

Value

an object of class "pscore", with the following elements:

- `strata`: a tibble containing the stratas, the frequencies, the means and the variances of the propensity scores for treated and controled observations
- `cov_balance`: a tibble containing the results of the balancing tests for every covariate; the results for the class with the lowest p-value is reported
- `unchecked_cov`: a character vector containing the names of the covariates for which the balancing test could be computed
- `model`: a tibble containing the original data, with supplementary columns: `.gp` for the groups, `.resp` for the outcome and `.cls` for the stratas
- `pscore`: the glm model fitted to compute the propensity scores

References

Dehejia RH, Wahba S (2002). "Propensity Score-Matching Methods for Nonexperimental Causal Studies." *The Review of Economics and Statistics*, **84**(1), 151-161. ISSN 0034-6535, doi:10.1162/003465302317331982.

Becker SO, Ichino A (2002). "Estimation of average treatment effects based on propensity scores." *Stata Journal*, **2**(4), 358-377(20).

Examples

```
data_tuscany <- twa |>
  subset(region == "Tuscany") |>
  transform(dist2 = dist ^ 2,
            livselfemp = I((city == "livorno") * (occup == "selfemp")),
            perm = ifelse(outcome == "perm", 1, 0))
formula_tuscany <- perm + group ~ city + sex + marital + age +
  loc + children + educ + pvoto + training +
  empstat + occup + sector + wage + hour + feduc + femp + fbluecol +
  dist + dist2 + livselfemp
pscore(formula_tuscany, data_tuscany)
```

ptnorm

Compute the probability for the trivariate normal function

Description

Compute the probability for the trivariate normal function

Usage

```
ptnorm(z, rho)
```

Arguments

z	a matrix with three columns
rho	a matrix with three columns

Value

a numeric vector

punorm	<i>Compute the probability for the univariate normal function</i>
--------	---

Description

Compute the probability for the univariate normal function

Usage

```
punorm(z)
```

Arguments

z	a numeric vector
---	------------------

Value

a numeric vector

quad_form	<i>Compute quadratic form</i>
-----------	-------------------------------

Description

Compute quadratic form of a vector with a matrix, which can be the vector of coefficients and the covariance matrix extracted from a fitted model

Usage

```
quad_form(x, m = NULL, inv = TRUE, subset = NULL, vcov = NULL, ...)
```

Arguments

x	a numeric vector or a fitted model
m	a square numeric matrix
inv	a boolean, if TRUE (the default), the quadratic form is computed using the inverse of the matrix
subset	a subset of the vector and the corresponding subset of the matrix
vcov	if NULL the vcov method is used, otherwise it can be a function or, for <code>micr</code> objects, a character
...	arguments passed to <code>vcov</code> if it is a function

random_group	<i>Random control group</i>
--------------	-----------------------------

Description

a cross-section of 2166 individuals from 2001

Format

a tibble containing:

- female: 1 for females
- age: age
- child: children
- migrant: non-dutch
- single: 1 for singles
- temp: one for temporary job
- ten: firm tenure (months)
- edu: education, one of "Low", "Intermediate" and "High"
- fsize: firm size, one of "up to 50", "50 to 200" and "more than 200"
- samplew: sample weights
- lnwh: log of hourly wage
- group: group indicator, from -2 to 3

Source

Journal of Applied Econometrics Data Archive : <http://qed.econ.queensu.ca/jae/>

References

Leuven E&OH (2008). "An alternative approach to estimate the wage returns to private-sector training." *Journal of Applied Econometrics*, **23**, 423-434.

recall

recall

Description

a cross-section of 1045 spell of unemployment from 1980

Format

a tibble containing:

- id: individual id
- spell: spell id
- end: the situation at the end of the observation of the spell; a factor with levels "new-job", "recall" or "censored"
- duration: duration of unemployment spell
- age: age the year before the spell
- sex: a factor with levels "male" and "female"
- educ: years of schooling
- race: a factor with levels "white" and "nonwhite"
- nb: number of dependents
- ui: a factor indicating unemployment insurance during the spell
- marital: marital status, a factor with levels "single" and "married"
- unemp: county unemployment rate (interval midpoints for 1980 spells)
- wifemp: wife's employment status, a factor with levels "no" and "yes",
- homeowner: home owner, a factor with levels "no" and "yes",
- occupation: a factor with 5 levels
- industry: a factor with 9 levels

Source

Journal of Applied Econometrics Data Archive : <http://qed.econ.queensu.ca/jae/>

References

Sueyoshi GT (1995). "A Class of Binary Response Models for Grouped Duration Data." *Journal of Applied Econometrics*, **10**(4), 411–431. ISSN 08837252, 10991255.

rsq	<i>Coefficient of determination</i>
-----	-------------------------------------

Description

A generic function to compute different flavors of coefficients of determination

Usage

```
rsq(x, type)

## S3 method for class 'lm'
rsq(x, type = c("raw", "adj"))

## S3 method for class 'micsr'
rsq(
  x,
  type = c("mcfadden", "cox_snell", "cragg_uhler", "aldrich_nelson", "veall_zimm",
    "estrella", "cor", "ess", "rss", "tjur", "mckel_zavo", "wald", "score", "lr")
)
```

Arguments

x	fitted model
type	the type of coefficient of determination

Value

a numeric scalar.

Examples

```
pbt <- binomreg(mode ~ cost + ivtime + ovtime, data = mode_choice, link = 'probit')
rsq(pbt)
rsq(pbt, "estrella")
rsq(pbt, "veall_zimm")
```

sargan	<i>Sargan test for GMM models</i>
--------	-----------------------------------

Description

When a IV model is over-identified, the set of all the empirical moment conditions can't be exactly 0. The test of the validity of the instruments is based on a quadratic form of the vector of the empirical moments

Usage

```
sargan(object, ...)

## S3 method for class 'ivreg'
sargan(object, ...)

## S3 method for class 'micsr'
sargan(object, ...)
```

Arguments

```
object      a model fitted by GMM
...         further arguments
```

Value

an object of class "htest".

Examples

```
cigmales <- cigmales |>
  transform(age2 = age ^ 2, educ2 = educ ^ 2,
            age3 = age ^ 3, educ3 = educ ^ 3,
            educage = educ * age)
gmm_cig <- expreg(cigarettes ~ habit + price + restaurant + income + age + age2 +
                 educ + educ2 + famsize + race | . - habit + age3 + educ3 +
                 educage + lagprice + reslgth, data = cigmales,
                 twosteps = FALSE)
sargan(gmm_cig)
```

scoretest

Score test

Description

Score test, also knowned as Lagrange multiplier tests

Usage

```
scoretest(object, ...)

## Default S3 method:
scoretest(object, ...)

## S3 method for class 'micsr'
scoretest(object, ..., vcov = NULL)
```

Arguments

object the first model,
 ... for the `micsr` method, it should be the formula for the "large" model or an object from which a formula can be extracted
 vcov an optional covariance matrix

Value

an object of class "htest".

Author(s)

Yves Croissant

Examples

```
mode_choice <- transform(mode_choice, cost = cost * 8.42)
mode_choice <- transform(mode_choice, gcost = (ivtime + ovtime) * 8 + cost)
pbt_unconst <- binomreg(mode ~ cost + ivtime + ovtime, data = mode_choice, link = "probit")
pbt_const <- binomreg(mode ~ gcost, data = mode_choice, link = "logit")
scoretest(pbt_const, . ~ . + ivtime + ovtime)
```

select_coef	<i>select a subset of coefficients</i>
-------------	--

Description

`micsr` objects have a `rpar` element which is vector of integers with names that indicates the kind of the coefficients. For example, if the 6 first coefficients are covariates parameters and the next 3 parameters that define the distribution of the errors, `npar` will be `c(covariates = 6, vcov = 3)`. It has an attribute which indicates the subset of coefficients that should be selected by default. `select_coef` has a `subset` argument (a character vector) and returns a vector of integers which is the position of the coefficients to extract.

Usage

```
select_coef(
  object,
  subset = NA,
  fixed = FALSE,
  grep = NULL,
  invert = FALSE,
  coef = NULL
)
```

Arguments

object	a fitted model
subset	a character vector, the type of parameters to extract
fixed	if TRUE, the fixed parameters are selected
grep	a regular expression
invert	should the coefficients that don't match the pattern should be selected ?
coef	a vector of coefficients

Value

a numeric vector

stder	<i>Extract the standard errors of estimated coefficients</i>
-------	--

Description

The standard errors are a key element while presenting the results of a model. They are the second column of the table of coefficient and are used to compute the t/z-value. `stder` enables to retrieve easily the vector of standard errors, either from a fitted model or from a matrix of covariance

Usage

```
stder(x, vcov, subset = NA, fixed = FALSE, grep = NULL, invert = FALSE, ...)
```

```
## Default S3 method:
```

```
stder(
  x,
  vcov = NULL,
  subset = NA,
  fixed = FALSE,
  grep = NULL,
  invert = FALSE,
  ...
)
```

Arguments

x	a fitted model or a matrix of covariance
vcov	a function that computes a covariance matrix, or a character
subset, grep, fixed, invert	invert see <code>'micr::select_coef'</code>
...	further arguments

Value

a numeric vector

tobit1	<i>Truncated response model</i>
--------	---------------------------------

Description

Estimation of models for which the response is truncated, either on censored or truncated samples using OLS, NLS, maximum likelihood, two-steps estimators or trimmed estimators

Usage

```
tobit1(
  formula,
  data,
  subset,
  weights,
  na.action,
  offset,
  contrasts = NULL,
  start = NULL,
  left = 0,
  right = Inf,
  scedas = NULL,
  sample = c("censored", "truncated"),
  method = c("ml", "lm", "twostep", "trimmed", "nls", "minchisq", "test"),
  opt = c("bfgs", "nr", "newton"),
  maxit = 100,
  trace = 0,
  check_gradient = FALSE,
  ...
)

## S3 method for class 'tobit1'
fitted(object, ...)
```

Arguments

formula	a symbolic description of the model; if two right hand sides are provided, the second one described the set of instruments if scedas is NULL, which is the default. Otherwise, the second part indicates the set of covariates for the variance function
data, subset, weights, na.action, offset, contrasts	see <code>lm</code>
start	an optional vector of starting values
left, right	left and right truncation points for the response The default is respectively 0 and +Inf which corresponds to the most classic (left-zero truncated) tobit model

scedas	the functional form used to specify the conditional variance, either "exp" or "pnorm"
sample	either "censored" (the default) to estimate the censored (tobit) regression model or "truncated" to estimated the truncated regression model
method	one of "ml" for maximum likelihood, "lm" for (biased) least squares estimators, "twostep" for two-steps consistent estimators, "trimmed" for symmetrically censored estimator, "minchisq" and "test". The last two are only relevant for instrumental variable estimation (when the formula is a two-parts formula and scedas is NULL)
opt	optimization method
maxit	maximum number of iterations
trace	printing of intermediate result
check_gradient	if TRUE the numeric gradient and hessian are computed and compared to the analytical gradient and hessian
...	further arguments
object	a tobit1 object

Value

An object of class c("tobit1", "micsr"), see `micsr::micsr` for further details.

Author(s)

Yves Croissant

References

Powell J (1986). "Symmetrically trimmed least squares estimators for tobit models." *Econometrica*, **54**, 1435–1460.

Examples

```
charitable$logdon <- with(charitable, log(donation) - log(25))
ml <- tobit1(logdon ~ log(donparents) + log(income) + education +
            religion + married + south, data = charitable)
scls <- update(ml, method = "trimmed")
tr <- update(ml, sample = "truncated")
nls <- update(tr, method = "nls")
```

trade_protection	<i>Lobbying from Capitalists and Unions and Trade Protection</i>
------------------	--

Description

a cross-section of 194 United States

Format

a tibble containing:

- ntb: nontariff barrier coverage ratio
- vshipped: value of shipments
- imports: importations
- elast: demand elasticity
- cap: lobbying
- labvar: labor market covariate
- sic3: 3-digit SIC industry classification
- k_serv: physical capital, factor share
- inv: Inventories, factor share
- engsci: engineers and scientists, factor share
- whitecol: white collar, factor share
- skill: skilled, factor share
- semskill: semi-skilled, factor share
- cropland: cropland, factor share
- pasture: pasture, factor share
- forest: forest, factor share
- coal: coal, factor share
- petro: petroleum, factor share
- minerals: minerals, factor share
- serconc: seller concentration
- bcrconc: buyer concentration
- sercomp: seller number of firms
- bcrcomp: buyer number of firms
- meps: scale
- kstock: capital stock
- puni: proportion of workers union
- geog2: geographic concentration
- tenure: average worker tenure, years
- klratio: capital-labor ratio
- bunion:

Source

American Economic Association Data Archive : <https://www.aeaweb.org/aer/>

References

Matschke X, Sherlund SM (2006). "Do Labor Issues Matter in the Determination of U.S. Trade Policy? An Empirical Reevaluation." *American Economic Review*, **96**(1), 405-421.

trips

Determinants of household trip taking

Description

a cross-section of 577 households from 1978

Format

a tibble containing:

- trips: number of trips taken by a member of a household the day prior the survey interview
- car: 1 if household owns at least one motorized vehicle
- workschl: share of trips for work or school vs personal business or pleasure
- size: number of individuals in the household
- dist: distance to central business district in kilometers
- smsa: a factor with levels "small" (less than 2.5 million population) and "large" (more than 2.5 million population)
- fulltime: number of fulltime workers in household
- adults: number of adults in household
- distnod: distace from home to nearest transit node, in blocks
- realinc: household income divided by median income of census tract in which household resides
- weekend: 1 if the survey period is either saturday or sunday

Source

kindly provided by Joseph Terza

References

Terza JV (1998). "Estimating count data models with endogenous switching: Sample selection and endogenous treatment effects." *Journal of Econometrics*, **84**(1), 129-154.

Terza JV, Wilson PW (1990). "Analyzing Frequencies of Several Types of Events: A Mixed Multinomial-Poisson Approach." *The Review of Economics and Statistics*, **72**(1), 108-115.

turnout	<i>Turnout</i>
---------	----------------

Description

these three models are replication in R of stata's code available on the web site of the American Economic Association. The estimation is complicated by the fact that some linear constraints are imposed.

Format

a list of three fitted models:

- group: the group-rule-utilitarian model
- intens: the intensity model
- sur: the reduced form SUR model

Details

Turnout in Texas liquor referenda

Source

[American Economic Association data archive.](#)

References

Coate S, Conlin M (2004). "A Group Rule-Utilitarian Approach to Voter Turnout: Theory and Evidence." *American Economic Review*, **94**(5), 1476-1504.

Examples

```
ndvuong(turnout$group, turnout$intens)
ndvuong(turnout$group, turnout$sur)
ndvuong(turnout$intens, turnout$sur)
```

twa	<i>Temporary help jobs and permanent employment</i>
-----	---

Description

a cross-section of 2030 individuals

Format

a tibble containing:

- id: identification code
- age: age
- sex: a factor with levels "female" and "male"
- marital: marital status, "married" or "single"
- children: number of children
- feduc: father's education
- fbluecol: father blue-color
- femp: father employed at time 1
- educ: years of education
- pvoto: mark in last degree as fraction of max mark
- training: received professional training before treatment
- dist: distance from nearest agency
- nyu: fraction of school-to-work without employment
- hour: weekly hours of work
- wage: monthly wage
- hwage: hourly wage at time 1
- contact: contacted a temporary work agency
- region: one of "Tuscany" and "Sicily"
- city: the city
- group: one of "control" and "treated"
- sector: the sector
- occup: occupation, one of "nojob", "selfemp", "bluecol" and "whitecol"
- empstat: employment status, one of "empl", "unemp" and "olf" (out of labor force)
- contract: job contract, one of "nojob", "atyp" (atypical) and "perm" (permanent)
- loc: localisation, one of "nord", "centro", "sud" and "estero"
- outcome: one of "none", "other", "fterm" and "perm"

Source

Journal of Applied Econometrics Data Archive : <http://qed.econ.queensu.ca/jae/>

References

Ichino A, Mealli F, Nannicini T (2008). "From Temporary Help Jobs to Permanent Employment: What Can We Learn from Matching Estimators and Their Sensitivity?" *Journal of Applied Econometrics*, **23**(3), 305–327.

unemp_duration	<i>Unemployment Duration in Germany</i>
----------------	---

Description

a cross-section of 21685 individuals from 1996 to 1997

Format

a tibble containing:

- duration: the duration of the unemployment spell in days
- censored: a factor with levels yes if the spell is censored, no otherwise
- gender: a factor with levels male and female
- age: the age
- wage: the last daily wage before unemployment

Source

The Royal Statistical Society Datasets Website

References

Wichert L, Wilke RA (2008). “Simple Non-Parametric Estimators for Unemployment Duration Analysis.” *Journal of the Royal Statistical Society. Series C (Applied Statistics)*, **57**(1), 117–126. ISSN 00359254, 14679876.

vuong_sim	<i>Simulated pdfs for the Vuong statistics using linear models</i>
-----------	--

Description

This function can be used to reproduce the examples given by Shi (2015) which illustrate the fact that the distribution of the Vuong statistic may be very different from a standard normal

Usage

```
vuong_sim(N = 1000, R = 1000, Kf = 15, Kg = 1, a = 0.125)
```

Arguments

N	sample size
R	the number of replications
Kf	the number of covariates for the first model
Kg	the number of covariates for the second model
a	the share of the variance of y explained by the two competing models

Value

a numeric of length N containing the values of the Vuong statistic

References

Shi X (2015). "A nondegenerate Vuong test." *Quantitative Economics*, 85-121.

Examples

```
vuong_sim(N = 100, R = 10, Kf = 10, Kg = 2, a = 0.5)
```

weibreg

Weibull regression model for duration data

Description

The Weibull model is the most popular model for duration data. This function enables the estimation of this model with two alternative (but equivalent) parametrization: the Accelerate Failure Time and the Proportional Hazard. Moreover heterogeneity can be introduced, which leads to the Gamma-Weibull model

Usage

```
weibreg(
  formula,
  data,
  weights,
  subset,
  na.action,
  offset,
  contrasts = NULL,
  model = c("aft", "ph"),
  opt = c("bfgs", "newton", "nr"),
  start = NULL,
  maxit = 100,
  robust = TRUE,
  trace = 0,
  mixing = FALSE,
  check_gradient = FALSE,
  ...
)

gres(x)

## S3 method for class 'weibreg'
scoretest(object, ..., vcov = NULL)
```

Arguments

formula	a symbolic description of the model
data	a data frame
subset, weights, na.action, offset, contrasts	see stats::lm,
model	one of "aft" or "ph"
opt	the optimization method
start	a vector of starting values
maxit	maximum number of iterations
robust	a boolean if TRUE, the log of the shape and the variance parameters are estimated
trace	an integer
mixing	if TRUE, the Gamma-Weibull model is estimated
check_gradient	if TRUE the numeric gradient and hessian are computed and compared to the analytical gradient and hessian
...	further arguments
x, object	a weibreg object
vcov	the covariance matrix estimator to use for the score test

Value

an object of class c("weibreg", "micsr"), see micsr::micsr for further details.

Examples

```
library(survival)
wz <- weibreg(Surv(duration, censored == "no") ~ gender + age + log(wage + 1),
              unemp_duration, mixing = TRUE, model = "ph")
```

zellner_revankar	<i>Generalized production function</i>
------------------	--

Description

Log-likelihood function for the generalized production function of Zellner and Revankar (1969)

Usage

```
zellner_revankar(
  theta,
  y,
  Z,
  sum = FALSE,
  gradient = TRUE,
  hessian = TRUE,
  repar = TRUE
)
```

Arguments

theta	the vector of parameters
y	the vector of response
Z	the matrix of covariates
sum	if FALSE, a vector of individual contributions to the likelihood and the matrix of individual contributions to the gradient are returned, if TRUE a log-likelihood scalar and a gradient vector are returned
gradient	if TRUE, the gradient is returned as an attribute
hessian	if TRUE, the hessian is returned as an attribute
repar	if TRUE, the likelihood is parametrized such that the constant return to scale hypothesis implies that two coefficients are 0

Value

a function.

Author(s)

Yves Croissant

References

Zellner A, Revankar NS (1969). "Generalized Production Functions." *Review of Economic Studies*, 36(2), 241-250.

Index

* dataset

- apples, 3
- birthwt, 5
- charitable, 7
- cigales, 7
- drinks, 12
- federiv, 16
- fin_reform, 17
- housprod, 22
- mode_choice, 31
- random_group, 41
- recall, 42
- trade_protection, 49
- trips, 50
- turnout, 51
- twa, 51
- unemp_duration, 53

* htest

- cmtest, 9
- ftest, 18
- hausman, 21
- ndvuong, 31
- sargan, 43
- scoretest, 44

* misc

- dummy, 13
- gaze, 20
- maximize, 26
- mills, 30
- newton, 32
- npar, 33
- stder, 46

* models

- binomreg, 4
- bivprobit, 6
- clm, 8
- escout, 13
- expreg, 15
- ivldv, 23

- loglm, 25
- ordreg, 34
- poisreg, 36
- pscore, 37
- tobit1, 47
- weibreg, 54

- AIC.micsr (micsr), 26
- apples, 3

- BIC.micsr (micsr), 26
- binomreg, 4
- birthwt, 5
- bivprobit, 6
- bread.micsr (micsr), 26

- charitable, 7
- cigales, 7
- clm, 8
- cmtest, 9
- coef.micsr (micsr), 26
- coef.summary.micsr (micsr), 26

- deviance.micsr (micsr), 26
- drinks, 12
- dummy, 13

- effects.micsr (micsr), 26
- endogtest (ivldv), 23
- escout, 13
- estfun.micsr (micsr), 26
- expreg, 15

- federiv, 16
- fin_reform, 17
- fitted.ordreg (ordreg), 34
- fitted.tobit1 (tobit1), 47
- ftest, 18

- gauss_hermite (gaussian_quad), 19
- gauss_laguerre, 19

gaussian_quad, 19
gaze, 20
glance.binomreg (binomreg), 4
glance.micsr (micsr), 26
gres (weibreg), 54

hausman, 21
housprod, 22

ivldv, 23

llobs (micsr), 26
logLik.bivprobit (bivprobit), 6
logLik.micsr (micsr), 26
loglm, 25

maximize, 26
mean.micsr (micsr), 26
mean.pscore (pscore), 37
mean.summary.pscore (pscore), 37
micsr, 26
mills, 30
mode_choice, 31
model.matrix.micsr (micsr), 26
model.part.micsr (micsr), 26

ndvuong, 31
newton, 32
nobs.micsr (micsr), 26
nobs.pscore (pscore), 37
nobs.summary.pscore (pscore), 37
npar, 33

ordreg, 34

pbnorm, 35
poisreg, 36
predict.micsr (micsr), 26
print.micsr (micsr), 26
print.pscore (pscore), 37
print.summary.micsr (micsr), 26
print.summary.pscore (pscore), 37
pscore, 37
ptnorm, 39
punorm, 40

quad_form, 40

random_group, 41
recall, 42

residuals.micsr (micsr), 26
residuals.poisreg (poisreg), 36
rg (pscore), 37
rsq, 43

sargan, 43
scoretest, 44
scoretest.poisreg (poisreg), 36
scoretest.weibreg (weibreg), 54
select_coef, 45
stder, 46
stdev (pscore), 37
summary.cstlm (clm), 8
summary.effects (micsr), 26
summary.micsr (micsr), 26
summary.predict (micsr), 26
summary.pscore (pscore), 37

tidy.micsr (micsr), 26
tobit1, 47
trade_protection, 49
trips, 50
turnout, 51
twa, 51

unemp_duration, 53

vcov.cstlm (clm), 8
vcov.micsr (micsr), 26
vcovHC.micsr (micsr), 26
vuong_sim, 53

weibreg, 54

zellner_revankar, 55