

Package ‘nat.templatebrains’

May 9, 2026

Type Package

Title NeuroAnatomy Toolbox ('nat') Extension for Handling Template Brains

Version 1.2.1

Description Extends package 'nat' (NeuroAnatomy Toolbox) by providing objects and functions for handling template brains.

License GPL-3

URL <http://natverse.org/nat.templatebrains/>,
<https://github.com/natverse/nat.templatebrains>

Depends nat (>= 1.8.6), R (>= 2.10), rgl

Imports digest, igraph, memoise, rappdirs

Suggests spelling, git2r (>= 0.22.1), nabor, testthat (>= 2.1.0), covr, Morpho

Encoding UTF-8

RoxygenNote 7.3.2

BugReports <https://github.com/natverse/nat.templatebrains/issues>

Language en-GB

NeedsCompilation no

Author Gregory Jefferis [aut, cre] (ORCID:
<<https://orcid.org/0000-0002-0587-9355>>),
James Manton [aut] (ORCID: <<https://orcid.org/0000-0001-9260-3156>>)

Maintainer Gregory Jefferis <jefferis@gmail.com>

Repository CRAN

Date/Publication 2025-08-18 11:30:02 UTC

Contents

add_reglist	2
add_reg_folders	3

allreg_dataframe	4
all_templatebrains	5
as.templatebrain	7
bridging_graph	8
bridging_sequence	9
display_slice	11
download_reg_repo	11
FCWB.demo	12
fit_xform	12
fit_xform_brain	13
local_reg_dir_for_url	15
mirror_brain	16
plot3d.templatebrain	17
regtemplate	18
templatebrain	19
templatebrain-meths	21
update_reg_repos	22
xform_brain	23

Index 26

add_reglis	<i>Add reglist object describing a bridging/mirroring registration</i>
------------	--

Description

By specifying either `reference`, `sample` or `mirror` arguments, you can add a bridging or mirroring registration, respectively, to the list of those in use for `xform_brain` and `mirror_brain`.

Usage

```
add_reglis(
  x,
  reference = NULL,
  sample = NULL,
  mirror = NULL,
  temp = TRUE,
  ...
)
```

Arguments

<code>x</code>	A single <code>reglist</code> object (which)
<code>reference, sample</code>	The reference and sample brains (in character or <code>templatebrain</code> form) for a bridging registration.
<code>mirror</code>	The reference brain (in character or <code>templatebrain</code> form) for a mirroring registration.

temp	Whether to store the on disk representation in a session-specific temporary folder (that will be removed when R closes). Defaults to TRUE.
...	Additional arguments passed to saveRDS e.g. to control compression when the reglist object is saved to disk.

Value

This function is called for its side effect and has no return value.

See Also

`add_reg_folders`

Examples

```
## Not run:
library(nat.flybrains)
# mirroring registration for a specific template brain object
add_reglist(mirroring, mirror=JFRC2013)
# equivalent but without needing to construct the template
add_reglist(mirroring, mirror="JFRC2013")

# add a bridging registration between two brains
add_reglist(bridging, reference=JFRC2, sample=JFRC2013)

## End(Not run)
```

<code>add_reg_folders</code>	<i>Set or list local folders containing registrations for nat.templatebrains</i>
------------------------------	--

Description

`add_reg_folders` sets `options('nat.templatebrains.regdirs')` appropriately so that registrations can be found by e.g. `xform_brain`.

`extra_reg_folders` lists extra registration folders present in standard location

Usage

```
add_reg_folders(dir = extra_reg_folders(), first = TRUE)
```

```
extra_reg_folders(full.names = TRUE)
```

Arguments

<code>dir</code>	Path to one or more folders containing registrations. Default value will scan for registration folders in a standard location. (Please see Details and File layout sections)
<code>first</code>	Whether the new folder should be added to the start (default) or end of the search list.
<code>full.names</code>	Whether to list full path to registration folders

Details

When `dir` is unset then it will default to the value of `extra_reg_folders()` i.e. any folders / cloned repositories in the standard location

Value

This function is principally called for its side effect. A path to the location on disk containing added registrations is returned invisibly.

File layout

You must pass a folder containing one or more registrations, not the registration folder itself. So if you have this situation on disk

- `myregistrations/`
- `myregistrations/reg1.list`
- `myregistrations/reg2.list`

you should write `add_reg_folders("/path/to/myregistrations")`

Examples

```
## Not run:
  add_reg_folders("myextraregistrations")

## End(Not run)
# adding a non-existent folder will generate an error
tools::assertError(add_reg_folders(tempfile()))
```

`allreg_dataframe` *Make data.frame with details of all registrations*

Description

Make data.frame with details of all registrations

Usage

```
allreg_dataframe(regdirs = getOption("nat.templatebrains.regdirs"))
```

Arguments

regdirs Character vector of directories to search for registrations (see details)

Details

by default regdirs is set to `getOption('nat.templatebrains.regdirs')`

Value

data.frame with one row for each observed registration and columns

- path
- name
- dup
- bridge
- reference
- sample

If there are no registrations, there will be a data.frame with 0 rows and these columns.

Examples

```
## Not run:  
allreg_dataframe()  
  
## End(Not run)
```

all_templatebrains *Find all template brains or those matching a given image volume*

Description

all_templatebrains returns a data.frame detailing all templatebrain objects on the search path (including those inside packages).

Usage

```
all_templatebrains(cached = TRUE, remove.duplicates = FALSE)  
  
guess_templatebrain(  
  x,  
  rval = c("templatebrain", "name"),  
  cached = TRUE,  
  mustWork = FALSE  
)
```

Arguments

cached	When TRUE returns precomputed (memoised) results, otherwise rescans searching for all template brains.
remove.duplicates	Whether to remove duplicate template brains (as determined by md5 hash) from the result list
x	A im3d image object, array or matrix compatible with as.templatebrain OR a 2 or 3-vector defining the dimensions of an image or image stack.
rval	Whether to return the templatebrain object itself or just its name.
mustWork	Whether to insist that exactly one template brain is found

Value

For all_templatebrains, a data.frame containing the following columns:

- object The name of the templatebrain object
- pos An integer specifying the environment
- package Character vector naming the environment
- md5 md5 hash of the templatebrain object
- name
- W,H,D Width, height and depth of image stack (pixels)

guess_templatebrain returns a [templatebrain](#) object when rval='templatebrain' or a character vector when rval='name'.

See Also

[templatebrain](#)

Examples

```
## Not run:
all_templatebrains()

guess_templatebrain(im3d(dims=c(30,40,50)))
# or
guess_templatebrain(c(30,40,50))
guess_templatebrain('path/to/my/image.nrrd')

if(require('nat.flybrains')){
  guess_templatebrain(im3d(dims=c(1024,512,218)), rval = 'name')
  # get the matching template brain
  tb=guess_templatebrain(im3d(dims=c(1024,512,218)))
  # get its voxel dimensions
  voxdims(tb)

  tb=guess_templatebrain(c(1024,512))
  tb
```

```

}

## End(Not run)

```

as.templatebrain *Use image file or other object to initialise template brain*

Description

Use image file or other object to initialise template brain

Usage

```

as.templatebrain(x, ...)

## S3 method for class 'character'
as.templatebrain(x, ...)

## S3 method for class 'im3d'
as.templatebrain(x, regName = NULL, name = regName, ...)

## S3 method for class 'templatebrain'
as.templatebrain(x, ...)

```

Arguments

x	object used to construct the templatebrain, either a character vector with the path to a file or an im3d object.
...	additional named arguments passed to methods and then on to templatebrain that will be added as fields to the templatebrain object.
name, regName	name and short name of the template brain. Will use the filename (minus final extension) by default for both fields.

Details

as.templatebrain can extract the key fields defining an template space from an image file. This is generally a much more convenient approach to defining a templatebrain object than specifying all fields by hand.

Value

A list with class [templatebrain](#)

See Also

[templatebrain](#), [im3d](#)

Examples

```
# Make templatebrain object using image info from the template brain NRRD file
nhdr=system.file('images','FCWB.nhdr', package='nat.templatebrains')
as.templatebrain(nhdr, name = "FlyCircuit Whole Brain")
```

bridging_graph

Make or query connected graph of bridging registrations

Description

These functions are designed for expert use. In general it is recommended to use `xform_brain`.

`bridging_graph` creates an `igraph::graph` representing all known template brains (vertices) and the bridging registrations connecting them (edges).

`shortest_bridging_seq` finds the shortest bridging sequence on a graph of all available bridging registrations, subject to constraints defined by graph connectivity and the reciprocal parameter.

Usage

```
bridging_graph(
  regdirs = getOption("nat.templatebrains.regdirs"),
  reciprocal = NA
)
```

```
shortest_bridging_seq(
  sample,
  reference,
  via = NULL,
  checkboth = TRUE,
  imagedata = FALSE,
  reciprocal = NA,
  ...
)
```

Arguments

<code>regdirs</code>	Character vector of directories to search for registrations (see details)
<code>reciprocal</code>	Sets the weight of reciprocal edges in the graph (and thereby whether inverse registrations will be considered).
<code>sample</code>	Source template brain (e.g. IS2) that data is currently in. Specified either as character vector or a <code>templatebrain</code> object.
<code>reference</code>	Target template brain (e.g. IS2) that data should be transformed into.
<code>via</code>	(optional) intermediate template brain that the registration sequence must pass through.
<code>checkboth</code>	When TRUE will look for registrations in both directions. See details.

imagedata Whether x should be treated as image data (presently only supported as a file on disk) or 3D object vertices - see details.
 ... additional arguments passed on to [bridging_graph](#)

Details

When reciprocal != NA we create a graph where each forward transformation is matched by a corresponding inverse transformation with the specified edge weight. The edge weight for forward transforms will always be 1.0.

By default regdirs is set to `getOption('nat.templatebrains.regdirs')`

See Also

[allreg_dataframe](#), [xform_brain](#)

Examples

```
## Not run:
plot(bridging_graph(), vertex.size=25, edge.arrow.size=0.5)
# with reciprocal edges
plot(bridging_graph(reciprocal=3), vertex.size=25)

## End(Not run)
## Not run:
shortest_bridging_seq(FCWB, IS2)
# or
shortest_bridging_seq('FCWB', 'IS2')

shortest_bridging_seq(sample='FCWB', reference='IS2', via="JFRC2")

## End(Not run)
```

bridging_sequence *Find sequence of one or more bridging registrations*

Description

This function is primarily intended for developer use (it is used inside `xform_brain`) but may be useful for end users.

Usage

```
bridging_sequence(
  sample,
  reference,
  via = NULL,
  imagedata = FALSE,
  checkboth = !imagedata,
  mustWork = FALSE
)
```

Arguments

sample	Source template brain (e.g. IS2) that data is currently in. Specified either as character vector or a templatebrain object.
reference	Target template brain (e.g. IS2) that data should be transformed into.
via	(optional) intermediate template brain that the registration sequence must pass through.
imagedata	Whether x should be treated as image data (presently only supported as a file on disk) or 3D object vertices - see details.
checkboth	whether to look for registrations in both directions. The default (checkboth=FALSE) will only return registrations in the forward direction (see details).
mustWork	whether to error out if appropriate registrations are not found.

Details

When checkboth=FALSE, only registrations that can be directly used to map image data from sample to reference are returned. When working with 3D points, use checkboth=TRUE. Note that all possible directories will first be scanned for registrations in the preferred direction and then rescanned for the opposite direction if nothing is found.

Registration direction

When mapping points from JFRC2 -> IS2 -> FCWB (i.e. sample=JFRC2, via=IS2, ref=FCWB) the command line passed to CMTK's streamxform should look like: `streamxform -- JFRC2_IS2.list --inverse FCWB_IS2.list`. However when mapping image data the command line for CMTK's reformatx should look like: `reformatx -o out.nrrd --floating JFRC2.nrrd FCWB.nrrd FCWB_IS2.list --inverse JFRC2_IS2.list`

bridging_sequence produces output like

```
list(JFRC2 = structure(
  "/GD/dev/R/nat.flybrains/inst/extdata/bridgingregistrations/JFRC2_IS2.list",
  swap = TRUE),
  IS2 = "/GD/dev/R/nat.flybrains/inst/extdata/bridgingregistrations/FCWB_IS2.list")
```

in these circumstances, which `xformpoints.cmtkreg` turns into `"- JFRC2_IS2.list -inverse FCWB_IS2.list"`.

Examples

```
## Not run:
bridging_sequence(sample=JFRC2, ref=FCWB, checkboth = TRUE)
bridging_sequence(sample=JFRC2, via=IS2, ref=FCWB, checkboth = TRUE)

## End(Not run)
```

display_slice	<i>Display an image slice in 3D</i>
---------------	-------------------------------------

Description

Display an image slice in 3D

Usage

```
display_slice(brain, slice, ...)
```

Arguments

brain	template brain (e.g. IS2) of the slice.
slice	Path to PNG image containing slice to display.
...	extra arguments to pass to persp3d .

Value

This function is principally called for its side effect of adding to the plot. A vector of rgl shape IDs is returned invisibly.

download_reg_repo	<i>Download and register git repository containing registrations</i>
-------------------	--

Description

Note that these extra registrations will be downloaded to a standard location on your hard drive that will be used for one session to the next. See examples and [local_reg_dir_for_url](#).

Usage

```
download_reg_repo(url, localdir = NULL, ...)
```

Arguments

url	Location of one or more remote git repositories. Can accept partial github specifications of the form "<user>/<repo>".
localdir	Full path to local checkout location of git repository. When localdir=NULL, the default, a sensible location is chosen using the rappdirs function.
...	additional arguments passed to <code>git2r::clone</code> e.g. credentials for private repo.

Value

This function is principally called for its side effect. A path to the location on disk containing added registrations is returned invisibly.

See Also

[add_reg_folders](#), [local_reg_dir_for_url](#), [git2r::clone](#)
[update_reg_repos](#)

Examples

```
## find the root location of all registration directories
local_reg_dir_for_url()
## Not run:
## Add the two main jefferislab bridging and mirroring registration
# collections for Drosophila brains from github.com.
download_reg_repo("jefferislab/BridgingRegistrations")
download_reg_repo("jefferislab/MirrorRegistrations")

## update all current registration repositories
update_reg_repos()

## End(Not run)
```

FCWB.demo

Sample template brain: FlyCircuit Whole Brain

Description

This is a sample template brain for testing purposes which is equivalent to the FCWB template brain defined by the `nat.flybrains`, which should be considered the canonical version.

fit_xform

Fit affine or thin plate spline transform to arbitrary transformation

Description

Fit affine or thin plate spline transform to arbitrary transformation

Usage

```
fit_xform(
  reg,
  samplepts,
  refpts = NULL,
  type = c("affine", "rigid", "similarity", "tps"),
  subsample = FALSE,
  scale = c(1, 1),
  ...
)
```

Arguments

reg	Any registration compatible with <code>nat::xform</code> , including non-rigid and multi-step registrations. You must either supply this or the <code>refpts</code> argument.
samplepts	A set of points in the sample (floating) space. Can be any object compatible with <code>nat::xyzmatrix</code> .
refpts	An optional set of points in the target (fixed) space matching <code>samplepts</code> . You must either supply this or the <code>reg</code> argument.
type	A character string specifying the type of registration. See <code>Morpho::computeTransform</code> for details.
subsample	A number of points to subsample from <code>samplepts</code> , <code>refpts</code> . The default value of <code>FALSE</code> means use all provided points to calculate the new transform.
scale	a 2-vector indicating the amount to scale the sample and reference points. You can supply one vector if this is the same. If the transform expects points in microns and returns points in microns then you would need <code>scale=c(1000,1)</code> if you want the input to be in microns and the output to be in nm.
...	Additional arguments passed to <code>Morpho::computeTransform</code>

Details

NB this function relies on installation of the suggested package `Morpho`.

Value

A homogeneous affine matrix or a `nat::tpsreg` object n.b. only in development `nat (>= 1.10.1)`

Examples

```
## Not run:
library(nat.flybrains)
reg=shortest_bridging_seq(sample='FCWB', reference="JFRC2")
fit_xform(reg, nat::kcs20, subsample=200, type='affine')
# compute transform with translations in nm not microns
fit_xform(reg, nat::kcs20, subsample=200, type='affine', scale=1000)

## End(Not run)
```

fit_xform_brain

Fit a single transform to a bridging registration between brains

Description

Fit a single transform to a bridging registration between brains

Usage

```

fit_xform_brain(
  sample,
  reference,
  via = NULL,
  type = c("affine", "rigid", "similarity", "tps"),
  pts = NULL,
  npts = if (is.null(pts)) 1000 else NULL,
  scale = c(1, 1),
  ...
)

```

Arguments

sample	Source template brain (e.g. IS2) that data is currently in. Specified either as character vector or a <code>templatebrain</code> object.
reference	Target template brain (e.g. IS2) that data should be transformed into.
via	(optional) intermediate template brain that the registration sequence must pass through.
type	A character string specifying the type of registration. See <code>Morpho::computeTransform</code> for details.
pts	Optional set of points to use for the fit. If they are not specified they will be randomly sampled (see details).
npts	Number of points to use for fit (defaults to 1000 when no <code>pts</code> argument is specified).
scale	a 2-vector indicating the amount to scale the sample and reference points. You can supply one vector if this is the same. If the transform expects points in microns and returns points in microns then you would need <code>scale=c(1000,1)</code> if you want the input to be in microns and the output to be in nm.
...	Additional arguments passed to <code>fit_xform</code>

Details

If `pts` are supplied these will be used to construct the fit. This might be useful if you are focussing on a particular brain region and supply relevant neurons. But if you want to work with one registration to use for the whole brain then it's better to use points across the brain.

When points are not provided then `fit_xform_brain` will first check to see if it can find a neuropil surface model for the `sample`. If it can, it will sample a number of points that lie inside the surface model. If no surface model can be found, then it will look for a `templatebrain` object specifying a bounding box around the sample brain. If successful, it will sample `npts` within that bounding box. If not there will be an error and you will have to supply the points.

Value

A homogeneous affine matrix or a `nat::tpsreg` object n.b. only in development `nat` ($\geq 1.10.1$)

See Also[fit_xform](#)**Examples**

```
## Not run:
library(nat.flybrains)
t1=fit_xform_brain(sample='FCWB', reference="JFRC2", type='affine')
t1
# the same but for points in nm
fit_xform_brain(sample='FCWB', reference="JFRC2", type='affine', scale=1000)
# run the fit based on a particular group of Kenyon cells
t2=fit_xform_brain(sample='FCWB', reference="JFRC2",
  pts=nat::kcs20, npts=300, type='affine')

nclear3d()
mfrow3d(1, 2, sharedMouse = TRUE)
plot3d(JFRC2)
plot3d(xform(FCWB.surf, t1))
next3d()
plot3d(JFRC2)
plot3d(xform(FCWB.surf, t2))
# the whole brain surfaces clearly match better when you fit on the whole brain

## End(Not run)
```

local_reg_dir_for_url *Standard local checkout location for extra registration directories*

Description

Standard local checkout location for extra registration directories

Usage

```
local_reg_dir_for_url(url = NULL)
```

Arguments

url Character vector containing a url. When url=NULL defaults to giving the base path.

Details

When called without any argument returns the root directory that will be inspected for extra registrations. You can put a sub-folder yourself there manually and then call `add_reg_folders`, but you are much better off in general using [download_reg_repo](#) to install from a github repository such as this one of ours: [jefferislab/BridgingRegistrations](#)

Note that this folder will always be the same place on a machine i.e. this defines a consistent, persistent location on disk to store data across sessions. You can modify the location of this folder by editing the `R_USER_DATA_DIR` environment variable. While this is not recommended on a personal machine, it may be necessary on a server. See `rappdirs::user_data_dir` for details.

When called with a url, a SHA1 hash will be calculated for the URL and appended to the basepath. This should ensure that locations derived from different URLs do not clash.

Value

path(s) containing registrations on disk.

See Also

[download_reg_repo](#), `rappdirs::user_data_dir`

mirror_brain	<i>Mirror 3D object around a given axis, optionally using a warping registration</i>
--------------	--

Description

Mirror 3D object around a given axis, optionally using a warping registration

Usage

```
mirror_brain(
  x,
  brain = regtemplate(x),
  mirrorAxis = c("X", "Y", "Z"),
  transform = c("warp", "affine", "flip"),
  ...
)
```

Arguments

<code>x</code>	the 3D object to be mirrored.
<code>brain</code>	source template brain (e.g. IS2) that data is in.
<code>mirrorAxis</code>	the axis to mirror (default "X").
<code>transform</code>	whether to use warp (default) or affine component of registration, or simply flip about midplane of axis.
<code>...</code>	extra arguments to pass to mirror .

Value

A transformed version of `x`

See Also

[xform_brain](#), [regtemplate](#)

Examples

```

data(FCWB.demo)
# Simple mirror along the x i.e. medio-lateral axis
kcs20.flip=mirror_brain(kcs20, FCWB.demo, transform='flip')

## Full non-rigid mirroring to account for differences in shape/centering of
## template brain.
## Depends on nat.flybrains package and system CMTK installation
## Not run:
library(nat.flybrains)
kcs20.right=mirror_brain(kcs20, FCWB, .progress='text')
plot3d(kcs20, col='red')
plot3d(kcs20.right, col='green')
# include surface plot of brain
plot3d(FCWB)

# Compare simple flip with full mirror
# This template brain is highly symmetric so these are almost identical
clear3d()
plot3d(kcs20.flip, col='blue')
plot3d(kcs20.right, col='green')

# Convert to JFRC2 and do the same
kcs20.jfrc2=xform_brain(kcs20, sample = FCWB, reference=JFRC2, .progress='text')
kcs20.jfrc2.right=mirror_brain(kcs20.jfrc2, JFRC2, .progress='text')
kcs20.jfrc2.flip=mirror_brain(kcs20.jfrc2, JFRC2, transform='flip')
clear3d()
# This time there is a bigger difference between the two transformations
plot3d(kcs20.jfrc2.flip, col='blue')
plot3d(kcs20.jfrc2.right, col='green')
# plot mushroom body neuropils as well
plot3d(JFRC2NP.surf, "MB.*_R", alpha=0.3, col='grey')

# Compare Euclidean distance between corresponding points in all neurons
diffs=xyzmatrix(kcs20.jfrc2.flip)-xyzmatrix(kcs20.jfrc2.right)
hist(sqrt(rowSums(diffs^2)), xlab='Distance /microns')

## End(Not run)

```

plot3d.templatebrain *Plot 3D surface of a template brain*

Description

Plot 3D surface of a template brain

Usage

```
## S3 method for class 'templatebrain'
plot3d(x, col = "grey", alpha = 0.3, ...)
```

Arguments

x	the template brain to plot.
col	the color of the surface.
alpha	the alpha value of the surface.
...	extra arguments to pass to plot3d .

Details

This function will work immediately for the standard [templatebrain](#) defined in the package documentation. If passed an object called e.g. FCWB it expects to find another object named FCWB.surf containing the surface information. If you follow this naming convention for user-defined rebrains it will work for them as well.

Value

This function is principally called for its side effect of adding to the plot. A vector of rgl shape IDs is returned invisibly.?

 regtemplate

Get or set the registration template space in which an object lives

Description

Get or set the registration template space in which an object lives

Usage

```
regtemplate(x)

regtemplate(x) <- value
```

Arguments

x	The 3D object whose registration space will be set/returned
value	The registration template brain (either a character vector naming the space or a templatebrain object)

Details

In order to facilitate transformations between objects in defined anatomical spaces these functions allow the registration template for an object to be specified. Most of the time you will not need to use these functions manually since the appropriate space will be set by the function `xform_brain` and friends.

Value

Either a templatebrain object or the newly tagged object

Examples

```
## Not run:
library(nat.flybrains)
kcs3=kcs20[1:3]
regtemplate(kcs3)=FCWB
regtemplate(kcs3)

kcs3m=mirror_brain(kcs3, brain=regtemplate(kcs20))
plot3d(kcs3, col='red')
plot3d(kcs3m, col='green')

## End(Not run)
```

templatebrain

Construct templatebrain object for an image registration template

Description

templatebrain objects encapsulate key information for the reference brain in an image registration. Usually this will be a standard template brain used for many registrations. **It will normally be much more convenient to use [as.templatebrain](#) methods to convert an image file or an im3d object into a templatebrain.**

Usage

```
templatebrain(
  name,
  regName = name,
  type = NULL,
  sex = NULL,
  dims = NULL,
  BoundingBox = NULL,
  voxdims = NULL,
  origin = NULL,
  units = NULL,
  description = NULL,
  doi = NULL,
  ...
)
```

Arguments

name	the full name of the template.
regName	the short name. This will be the stem used to prefix registrations (e.g. JFRC2_someimage.list) for this template brain and likely also the stem of the template brain image (e.g. JFRC2.nrrd).
type	one of c('single brain', 'average'), indicating whether the template brain has been created from just one image, or is the average of multiple images.
sex	the sex of the template brain. For templates with type=='average', the possibility of sex='intersex' exists.
dims	dimensions of the image (number of voxels).
BoundingBox	physical dimensions of the image (see boundingbox).
voxdims	physical spacing between voxels.
origin	the physical location of the first voxel
units	units of physical measurements (e.g. microns).
description	details of the template.
doi	a DOI for the original template brain image.
...	additional named arguments that will be added as fields to the templatebrain object.

Details

A variety of methods are available to work on `templatebrain` objects. See [templatebrain-meths](#) for basic methods. The two main functions that are available for using template brains are [xform_brain](#) and [mirror_brain](#).

`templatebrain` objects are only useful for transformation processes when the `BoundingBox` is specified to define the physical extent of the volume. We use the definition of the Amira 3D visualisation and analysis software. This corresponds to the **node** centers option in the **NRRD format**. The bounding box can be obtained from NRRD or AmiraMesh format files. See [boundingbox](#) for details.

Value

A list with class `templatebrain`.

See Also

[as.templatebrain](#), [templatebrain-meths](#), [xform_brain](#), [mirror_brain](#).

Description

`is.templatebrain` tests if object is of class `templatebrain`

`as.character.templatebrain` converts template brain to character vector representation (normally used to extract the short name i.e. `regName`).

`print.templatebrain` prints `templatebrain` information in human-readable form

`as.im3d` converts a template brain to a `nat::im3d` object; this is probably useful for developers.

`origin` extracts the space origin of a `templatebrain` object.

`dim` extracts the dimensions (in number of pixels) of the image associated with a `templatebrain` object.

`voxdims` extracts the dimensions (in calibrated spatial units, e.g. microns) of voxels in the image associated with a `templatebrain` object.

`boundingbox` extracts the boundingbox (in calibrated spatial units, e.g. microns) of the image associated with a `templatebrain` object. See [boundingbox](#) for details.

Usage

```
is.templatebrain(x)
```

```
## S3 method for class 'templatebrain'  
as.character(x, field = c("regName", "name"), ...)
```

```
## S3 method for class 'templatebrain'  
print(x, ...)
```

```
## S3 method for class 'templatebrain'  
as.im3d(x, ...)
```

```
## S3 method for class 'templatebrain'  
origin(x, ...)
```

```
## S3 method for class 'templatebrain'  
dim(x, ...)
```

```
## S3 method for class 'templatebrain'  
voxdims(x, ...)
```

```
## S3 method for class 'templatebrain'  
boundingbox(x, ...)
```

Arguments

x an object (usually a templatebrain).
 field which field to use (defaults to 'regName').
 ... additional arguments for methods.

Value

Return values are documented in the generic methods. `is.templatebrain` returns a logical indicating whether or not the object is a templatebrain.

`as.character.templatebrain` returns a character vector with the name of the template brain.

`dim.templatebrain` returns a 3-value integer vector.

See Also

[im3d](#)
[origin](#)
[voxdims](#)
[boundingbox](#)

Examples

```
data(FCWB.demo)
is.templatebrain(FCWB.demo)
origin(FCWB.demo)
dim(FCWB.demo)
voxdims(FCWB.demo)
boundingbox(FCWB.demo)
# print method
FCWB.demo
```

update_reg_repos *Update local copy of git repository containing registrations*

Description

When `x=NULL` all repositories listed in `options(nat.templatebrains.regdirs)` are checked to see if they are git repositories and, if yes, they are pulled to update.

Usage

```
update_reg_repos(x = NULL)
```

Arguments

x Path to local checkout of a registration git repository. See details for meaning of default.

Value

This function is principally called for its side effect, but does return a `git2r::repository` object containing the path on disk to the location of the git repository with registration.

See Also

[download_reg_repo](#)

<code>xform_brain</code>	<i>Transform 3D object between template brains</i>
--------------------------	--

Description

Transform 3D object between template brains

Usage

```
xform_brain(
  x,
  sample = regtemplate(x),
  reference,
  via = NULL,
  imagedata = is.character(x),
  checkboth = NULL,
  target = NULL,
  Verbose = interactive(),
  ...
)
```

Arguments

<code>x</code>	the 3D object to be transformed
<code>sample</code>	Source template brain (e.g. IS2) that data is currently in. Specified either as character vector or a <code>templatebrain</code> object.
<code>reference</code>	Target template brain (e.g. IS2) that data should be transformed into.
<code>via</code>	(optional) intermediate template brain that the registration sequence must pass through.
<code>imagedata</code>	Whether <code>x</code> should be treated as image data (presently only supported as a file on disk) or 3D object vertices - see details.
<code>checkboth</code>	When TRUE will look for registrations in both directions. See details.
<code>target</code>	When transforming image data, this specifies the target space (defaults to <code>reference</code> when <code>imagedata=TRUE</code>). See Details.
<code>Verbose</code>	Whether to show a message with the sequence of template brains
<code>...</code>	extra arguments to pass to <code>xform</code> and then on to <code>xformpoints</code> or <code>xformimage</code> which will eventually hand off to <code>cmk.reformatx</code> when using CMTK.

Details

NB the `sample`, `reference` and `via` brains can either be `templatebrain` objects or a character string containing the short name of the template e.g. "IS2".

`xform_brain` uses the helper function `shortest_bridging_seq` to find the shortest path between different template brains based on the set of bridging registrations that the `natverse` has been informed about (see `bridging_graph`). You can specify a `via` argument to ensure that the registrations passes through one or more intermediate templates. Note that when multiple brains are passed to `via` they should be in order from `sample` to `reference`. If you are passing multiple `templatebrain` objects, they must be wrapped in a list.

When transforming image data (`imagedata=TRUE`), the `target` argument should normally be specified. This defines the absolute/voxel dimensions of the target space. This can be calculated from a `templatebrain` object, so by default it will be set to the value of the `reference` argument. Alternatively an image file on disk can be specified; this is essential if the `reference` argument does not specify a `templatebrain` object but instead just names a template space (i.e. is a string).

The significance of the `imagedata` and `checkboxboth` arguments is that CMTK registrations are not directly invertible although they can be numerically inverted in most cases (unless there are regions where folding occurred). For image data, numerical inversion is *much* slower.

You can control whether you want to allow inverse registrations manually by setting `checkboxboth` explicitly. Otherwise when `checkboxboth=NULL` the default is to act as if `checkboxboth=TRUE` but issue a warning if an inversion must be used.

Value

A transformed version of `x`

See Also

`mirror_brain`, `shortest_bridging_seq`, `bridging_graph`, `regtemplate`, `xform`, `xformpoints`, `xformimage`, `cmtk.reformatx` (for transforming image data with CMTK).

Examples

```
## depends on nat.flybrains package and system CMTK installation
## Not run:
## reformat neurons
##
library(nat.flybrains)
# Plot Kenyon cells in their original FCWB template brain
nopen3d()
plot3d(kcs20)
plot3d(FCWB)
# Convert to JFRC2 template brain
kcs20.jfrc2=xform_brain(kcs20, sample = FCWB, reference=JFRC2)
# now plot in the new JFRC2 space
nopen3d()
plot3d(kcs20.jfrc2)
plot3d(JFRC2)
# compare with the untransformed neurons
plot3d(kcs20)
```

```
# plot with neuropil sub regions for the left mushroom body
clear3d()
plot3d(kcs20.jfrc2)
# nb "MB.*_L" is a regular expression
plot3d(JFRC2NP.surf, "MB.*_L", alpha=0.3)
# compare with originals - bridging registration is no perfect in peduncle
nopen3d()
plot3d(kcs20)
plot3d(FCWBNP.surf, "MB.*_L", alpha=0.3)

# insist on using a specific intermediate template brain
# this would nor be an improvement in this case
kcs20.jfrc2viais2=xform_brain(kcs20, sample = FCWB, via=IS2, reference=JFRC2)

## reformat image examples
# see ?cmtk.reformatx for details of any additional arguments
# note that for image data a target space defining the dimensions of the
# output image must be specified - this happens by default using the
# reference templatebrain object
xform_brain('in.nrrd', sample=FCWB, ref=JFRC2, output='out.nrrd')
# or you can specify an image file explicitly as target
xform_brain('in.nrrd', sample=FCWB, ref=JFRC2, output='out.nrrd',
            target='JFRC2.nrrd')

# use partial volume interpolation for label field
xform_brain('labels.nrrd', sample=FCWB, ref=JFRC2, output='out.nrrd',
            interpolation='pv')

# use binary mask to restrict (and speed up) reformatting
xform_brain('in.nrrd', sample=FCWB, ref=JFRC2, output='out.nrrd', mask='neuropil.nrrd')

## End(Not run)
```

Index

add_reg_folders, [3](#), [12](#)
add_reglst, [2](#)
all_templatebrains, [5](#)
allreg_dataframe, [4](#), [9](#)
as.character.templatebrain
 (templatebrain-meths), [21](#)
as.im3d.templatebrain
 (templatebrain-meths), [21](#)
as.templatebrain, [6](#), [7](#), [19](#), [20](#)

boundingbox, [20–22](#)
boundingbox.templatebrain
 (templatebrain-meths), [21](#)
bridging_graph, [8](#), [9](#), [24](#)
bridging_sequence, [9](#)

clone, [12](#)
cmtk.reformatx, [23](#), [24](#)

dim.templatebrain
 (templatebrain-meths), [21](#)
display_slice, [11](#)
download_reg_repo, [11](#), [15](#), [16](#), [23](#)

extra_reg_folders (add_reg_folders), [3](#)

FCWB.demo, [12](#)
fit_xform, [12](#), [14](#), [15](#)
fit_xform_brain, [13](#)

guess_templatebrain
 (all_templatebrains), [5](#)

im3d, [6](#), [7](#), [21](#), [22](#)
is.templatebrain (templatebrain-meths),
 [21](#)

local_reg_dir_for_url, [11](#), [12](#), [15](#)

mirror, [16](#)
mirror_brain, [2](#), [16](#), [20](#), [24](#)

origin, [22](#)
origin.templatebrain
 (templatebrain-meths), [21](#)

persp3d, [11](#)
plot3d, [18](#)
plot3d.templatebrain, [17](#)
print.templatebrain
 (templatebrain-meths), [21](#)

reglist, [2](#)
regtemplate, [17](#), [18](#), [24](#)
regtemplate<- (regtemplate), [18](#)

saveRDS, [3](#)
shortest_bridging_seq, [24](#)
shortest_bridging_seq (bridging_graph),
 [8](#)

templatebrain, [6](#), [7](#), [14](#), [18](#), [19](#), [24](#)
templatebrain-meths, [21](#)

update_reg_repos, [12](#), [22](#)
user_data_dir, [16](#)

voxdims, [22](#)
voxdims.templatebrain
 (templatebrain-meths), [21](#)

xform, [13](#), [23](#), [24](#)
xform_brain, [2](#), [9](#), [17](#), [20](#), [23](#)
xformimage, [23](#), [24](#)
xformpoints, [23](#), [24](#)
xyzmatrix, [13](#)