

Package ‘spatgeom’

May 9, 2026

Type Package

Title Geometric Spatial Point Analysis

Version 0.3.0

Maintainer Maikol Solís <maikol.solis@ucr.ac.cr>

Description The implementation to perform the geometric spatial point analysis developed in Hernández & Solís (2022) <doi:10.1007/s00180-022-01244-1>. It estimates the geometric goodness-of-fit index for a set of variables against a response one based on the 'sf' package. The package has methods to print and plot the results.

License MIT + file LICENSE

URL <https://github.com/maikol-solis/spatgeom>

BugReports <https://github.com/maikol-solis/spatgeom/issues>

Encoding UTF-8

Imports ggplot2, scales, sf, dplyr, lwgeom, cowplot, purrr

RoxygenNote 7.2.3

Depends R (>= 3.6.0)

Suggests rmarkdown, knitr, testthat (>= 2.1.0)

NeedsCompilation no

Author Maikol Solís [aut, cre],
Alberto Hernández [ctb],
Carlos Pasquier [ctb]

Repository CRAN

Date/Publication 2023-04-26 19:30:02 UTC

Contents

donut_data	2
linear_data	2
plot_alpha_shape	3
plot_curve	4
print.spatgeom	4
spatgeom	5

Index[7](#)

donut_data	<i>Donut example</i>
------------	----------------------

Description

Generate data points with the shape of a donut.

Usage

```
donut_data(n, a, b, theta)
```

Arguments

n	Number of data points.
a	Lower bound of the second variable.
b	Upper bound of the second variable.
theta	Angle of the donut.

Value

A data frame with three variables. Variable 'y' is the response, variable 'x1' makes the donut shape with 'y', and 'x2' is a uniform random variable between a and b. '

Examples

```
xy <- donut_data(n = 30, a = -1, b = 1, theta = 2 * pi)
```

linear_data	<i>Linear example</i>
-------------	-----------------------

Description

Generate data points with a linear relationship.

Usage

```
linear_data(n = 100, a = -3, b = 3)
```

Arguments

n	Number of data points.
a, b	Lower and upper bound of the uniform distribution.

Value

A data frame with three variables. Variable 'y = 0.6 * x1 + 0.3 * x2

- 0.1 * x3' is the response, and 'x1', 'x2' and 'x3' are uniform random variables between a and b.

Examples

```
xy <- linear_data(n = 30, a = -1, b = 1)
```

plot_alpha_shape	<i>Plot alpha-shape for spatgeom objects</i>
------------------	--

Description

Plot alpha-shape for spatgeom objects.

Usage

```
plot_alpha_shape(x, alpha, font_size = 12)
```

Arguments

x	an object of class spatgeom.
alpha	value of alpha determining the maximum length between points to build the alpha-shape.
font_size	a integer that increases the font size in the plot.

Value

a [ggplot](#) object with the raw alpha-shape for the original data at resolution alpha

Examples

```
xy <- donut_data(n = 30, a = -1, b = 1, theta = 2 * pi)
estimation <- spatgeom(y = xy[, 1], x = xy[, -1])
plot_alpha_shape(estimation, alpha = c(0.9, 1.2))
```

plot_curve	<i>plot spatgeom objects</i>
------------	------------------------------

Description

Plot method for objects of class spatgeom.

Usage

```
plot_curve(x, type = "curve", font_size = 12)
```

Arguments

x	an object of class spatgeom
type	a string that could be curve or deriv. The option curve plots the curve of alpha against geom_corr from the function <code>spatgeom()</code> . The deriv option plots the numerical derivative.
font_size	a integer that increases the font size in the plot.

Value

a `ggplot` object with the geometric indices (or its derivative). The plot is generated with the nalphas point of alpha and geom_corr from the function `spatgeom`.

In each panel, the theoretical CSR process is drawn using $\exp(-\text{intensity} * \pi * x^2)$. where the intensity depends on each panel.

Examples

```
xy <- donut_data(n = 30, a = -1, b = 1, theta = 2 * pi)
estimation <- spatgeom(y = xy[, 1], x = xy[, -1])
plot_curve(estimation, type = "curve")
plot_curve(estimation, type = "deriv")
```

print.spatgeom	<i>print a spatgeom object</i>
----------------	--------------------------------

Description

Print method for objects of class spatgeom.

Usage

```
## S3 method for class 'spatgeom'
print(x, return_table = FALSE, ...)
```

Arguments

`x` an object of class `spatgeom`

`return_table` if TRUE, returns a data frame with the estimated values. Otherwise, print the data frame in console. Defaults to FALSE

`...` further arguments passed to the `plot` function

Value

Print the estimate given by `spatgeom`.

Examples

```
xy <- donut_data(n = 30, a = -1, b = 1, theta = 2 * pi)
estimation <- spatgeom(y = xy[, 1], x = xy[, -1])
print(estimation)
```

spatgeom

Geometric Spatial Point Pattern Analysis

Description

Function to estimate the geometric correlation between variables.

Usage

```
spatgeom(x, y, scale = FALSE, nalphas = 100, envelope = FALSE, mc_cores = 1)
```

Arguments

`x` numeric matrix or data.frame of covariables.

`y` numeric vector of responses in a model.

`scale` boolean to make the estimations with scaled variables. Default FALSE.

`nalphas` a single number for the number of alphas generated between the minimum and maximum edge distance on the Delanauy triangulation.

`envelope` boolean to determine if the Monte-Carlo is estimated. Default FALSE.

`mc_cores` an integer to determine how many parallel process should be run. Default `mc_core=1`.

Value

A list of class spatgeom with the following elements:

call The function call.

x x input.

y y output.

results A list of size `ncol(x)` corresponding to each column of x. Each element of the list has:

triangles a data frame of class `sfc` (see `sf::st_sf()`) with columns `geometry`, `segments`, `max_length` and `alpha`. The data.frame contains the whole Delanauy triangulation for the corresponding column of x and y. The `segments` column are the segments of each individual triangle and `max_length` is the maximum length of them.

geom_indices a data frame with columns `alpha` and `geom_corr`. The `alpha` column is a numeric vector of size `nalphas` from the minimum to the maximum distance between points estimated in the data. The `geom_corr` column is the value $1 - (\text{alpha shape Area}) / (\text{containing box Area})$.

intensity the intensity estimated for the corresponding column of x and y.

mean_n the mean number of points in the point process.

envelope_data a data frame in tidy format with 40 runs of a CSR process, if `envelope=TRUE`, The CSR is created by generating *n* uniform points in the plane, where *n* is drawn from Poisson distribution with parameter `mean_n`.

References

Hernández, A.J., Solís, M. Geometric goodness of fit measure to detect patterns in data point clouds. *Comput Stat* (2022). <https://doi.org/10.1007/s00180-022-01244-1>

Examples

```
xy <- donut_data(n = 30, a = -1, b = 1, theta = 2 * pi)
estimation <- spatgeom(y = xy[, 1], x = xy[, -1])

# If you want to estimate the envelope, you can use the envelope argument to
# TRUE. This will take a while to run.
## Not run:
estimation_with_envelope <- spatgeom(
  y = xy[, 1], x = xy[, -1],
  envelope = TRUE
)

## End(Not run)
```

Index

donut_data, 2

ggplot, 3, 4

linear_data, 2

plot_alpha_shape, 3

plot_curve, 4

print.spatgeom, 4

sf::st_sf(), 6

spatgeom, 4, 5, 5

spatgeom(), 4